

## 产品认证申请表

申请单位：北京光华荣昌汽车部件有限公司工程研究院

项目名称：北奔 H20

项目代码：ZY2208

1. 产品类别： 汽车座椅及座椅头枕

机动车辆间接视野装置

汽车内饰件

2. 认证类型： 自我声明  自愿性认证  自愿性认证+自我声明

E-Mark

注：座椅、后视镜：可直接自我声明；也可根据客户要求自愿性后再转自我声明；  
内饰件：只适用于自愿性认证（非强制性认证目录，是否认证决定于客户）

3. 申/制/生：

申请人	北京光华荣昌汽车部件有限公司
制造商	北京光华荣昌汽车部件有限公司
生产厂	河北光华荣昌汽车部件有限公司

4. 申请类型： 初认证  新单元  原单元  变更  缩项  注销

注：CQC 自愿性认证时，原单元认证属于变更

5. 是否涉及原证书或声明： 是  否

序号	<input type="checkbox"/> 全部证书或声明 <input type="checkbox"/> 部分证书或声明（需填写证书号）	备注
1	自我声明：2022981114000351	多功能主座椅总成 5179100201
2	自我声明：2022981114000352	副座椅总成 5179100103
3		
4		
5		
6		
7		

注：如果同时存在自愿性及自我声明时需备注自我声明的编号

6. 日期：



项目	计划提交日期	实际完成日期（实验室）	责任人
申报资料	2022.7.11		张甲
自我声明（自愿性）			


### 7、产品清单（限 CQC 使用）

单元划分	序号	产品名称	图号	差异描述
单元 1	1	多功能主座椅总成	5179100201	织物面料
单元 2	1	副座椅总成	5179100103	织物面料+折叠+集成安全带

### 8、其他说明

无

申请人：



申请时间：20220706



2020/11040000310

27

# 强制性认证产品符合性自我声明



自我声明编号: 2020971104000310

浙江松原汽车安全系统股份有限公司(生产者) 确知晓《强制性产品认证自我声明实施规则》以及相关产品强制性认证实施规则的要求, 对本声明承担全部法律责任。

浙江松原汽车安全系统股份有限公司(生产者) 声明以下产品已按照《强制性产品认证自我声明实施规则》以及相关产品强制性认证实施规则的要求进行检测, 符合相关标准要求; 自本声明签署之日起, 生产和销售的产品持续符合以下标准与实施规则的要求: 保存本声明涉及的技术文档至少10年; 正确使用强制性产品认证标志; 如产品或其符合性信息发生变更, 将及时更新技术文档并报送产品变更信息。

生产者名称: 浙江松原汽车安全系统股份有限公司  
 生产者地址: 浙江省宁波市余姚市牟山镇运河沿路1号  
 依据的强制性产品认证规则: CNCA-C11-04:2014 汽车安全带  
 产品名称: 汽车安全带产品  
 产品系列、型号、规格: 见附件  
 依据的标准: GB 14166-2013, GB 8410-2006, CNCA-C11-04:2014  
 生产企业名称: 浙江松原汽车安全系统股份有限公司  
 生产企业地址: 浙江省余姚市牟山镇运河沿路1号


联系人: 陈芸  
 电话: 0574-62496133  
 电子邮箱: jswk@songyuansafety.com  
 指定签字人:

自我声明时间: 2020-05-26  
 自我声明地点:  
 生产者签章:



注: 有关本声明信息真伪可登录全国认证认可信息公共服务平台 (cx.cnca.cn) 或扫描右上角二维码查询。

强制性认证产品符合性自我声明(附页)



自我声明编号: 2020971104000310

产品系列、型号、规格:

三点式 4 型:

HA301(1B16982220030,1B16982220033,1B16982220022,1B16982230022,1B16982201074,1B17882230030,1B17882230033,1B16982200030,1B16982200040,1B16982200033,1B16982200022,1B178822X0001,1B160822X0001,1B160822X0002,1B16982200045,1B173822X0001,1B202822X0001,1B15882220200,1B20182200001,1B14882200010,1B14882200020,1B14882200030,1B14882200040,1B16982230022,1B16982200100,1B16982200101,1B16982200105,1B16982200106,1B1698220100,1B16982220101,1B16982220105,1B16982220106,1B202822X0003,1B24982200000,1B17882200012,1B17882200009,1B202822M0001,24533610/24533611,1B24982200004,1B24982200005,1B18082200011,1B16982200074,1K16982200013,1D16982200016,1D16982200017,1D16982200019,1D16982200020,1D16982200011,1D16982200001,1D16982200037,1D16982200039,8212100-06H,8212100-05H,8212200-04H,8212200-06H,8212100-02,8212100-01,8212100-03,8212200-03,8212100-05,8212200-04,8212300-01,8212400-01,6906-00013,6906-00013A,B-8211050,B-8211350,B-8211050,B-8211360,86844,YN500,86845,YN500,88844,YN500,88845,YN500,89844,YN500,89845,YN500,8212-00012,8212-00032,8212-00005A,8212-00038,6906-00042),三点式、4N 型 HA301 M51-8205015 三点式 4 型:

HA301(1B18082200311,1B17082220011,1B17082200011,1B20182220001,1B157822X0001,1B19082230030,111-6809015,24526610,24526611,8212100-07,8212300-02,8212400-03,86844,P2700,86844 15460,6906-00075,8212-00040,8212-00046,6906-00068A) 三点式 4 型:

HA301(8212ACJ,8212ACK,8212ACL) 三点式 4 型:  
HA301(M333-8211110,88845 95600,88845 95680,88844 95680,88844 95600,86844 95680,86844 95600,8212AAE,8212AAG,8212AAJ,1D16982200053,1D16982200054,1B14882200017,1B14882200027,1B14882200031,1B14882200041,M333-8211110,)

三点式、4N 型 G20-5810200,G20-5810100 三点式 4 型:  
HA301(8212AGQ,8212AGR) 三点式 4 型:  
HA301(86844 2Z500/86844 2Z560,5811020-M11003/5811020-M11006,88845 2Z500/88845 2Z53A/88845 2Z560/88845 2Z53B,5812010-M11003/5812010-M11006,88844 2Z500/88844 2Z53A/88844 2Z560/88844 2Z53B,5812020-M11003/5812020-M11006,89845 2Z500/89845 2Z560,5813010-M11003/5813010-M11006,89844 2Z500/89844 2Z560,5813020-M11003/5813020-M11006,86844 2Z500/86844 2Z560,5811020-M11003/5811020-M11006) 三点式 4 型:

HA301(1B18082200210,1B18082220011,1B18082200011),三点式、4N 型 HA301 M5122-8205015 ,M61-8205015 三点式 4 型;HA301(5811010-K13001,5811020-K13001) 三点式 4 型:  
HA301(88845 W6630,88845 W6600,88844 W6630,88844 W6600,86844 W6600,86844 W6630) 三点式 4 型:

HA301 (1B18082200811) 三点式 4 型;HA301(DVA-B) 三点式 4 型:  
HA301(M333-8211110,G20-5810200,G20-5810100,88845 95600,88845 95680,88844 95680,88844 95600,86844 95680,86844 95600,8212AAE,8212AAG,8212AAJ,1D16982200053,1D16982200054,1B14882200017,1B14882200027,1B14882200031,1B14882200041,M333-8211110) 三点式、4 型:HA301(8212330-G01,

8212440-G01, 8212920-G01, 8212910-G01, 8212110-G02, 8212220-G02, 8212330-J02, 8212440-J02, 8212920-J02, 8212910-J02, 8212110-J02, 8212220-J02, 1B16082200222, 1B19082200001, H4681010800A0, H4681020800A0) 三点式 4 型;HA301 三点式 4 型:  
HA301(1B186822M0001,1B17882230031,1D16982200049,1D16982200050,1D16982200057,



1D16982200088,1D16982200089,1D16982200067,1D16982200069,1D16982200085,1D16982200106,1D16982200079,1D1  
6982200082,1D16982200071,1D16982200107,1D16982200109,P0822020003A0,P0822020001A0,24533609) 三点式 4  
型:HA301(1B16082200111,8212ADH,8212ADJ,8212ADK,8212ADL,8212AAS,8212AAT,8212AAU,8212AHK,8212AHL,8212ACA  
,8212AAW,8212AAY,8212AAZ,8212ADS) 三点式 4 型:  
HA301(8212ABB(8212AA5),8212ABC(8212AAT),8212ABD(8212AAU),A23A-5810010(B-8211050)) 三点式 4 型:  
HA301(1B16282200002,G0822010016A0,G0822010018A0) 三点式 4 型:HA301(1J17282200010) 三点式 4 型:  
HA301(L0822014001A0/L0822014003A0/5811010-11100/5813010-11101/5813020-11101) 三点式 4 型:Three-Point  
Belt,Type4 HA301(01803017/01803016/G0822010021A0) 两点式、3 型:HA201(8212-00004,8212-00022) 三点式 4  
型 :HA300(1B16982200023,1B16982201075,1B158822200200,1B15882220033,8212130-01,8212300-03,1010-8212010B)  
简易两点式:HA200(86854 LC40A;86854 LC40B) 三点式 4 型:  
HA300(1B16982220030,1B16982220033,1B16982220022,1B16982230022,  
1B16982201074) 三点式 4 型:  
HA300(1B14882200008,1B14882200009,1B14882200011,1B14882200012) 两点式腰带:  
HA200(1K18082200161,1J17282200116) 两点式:  
HA200(1B18382203000,1B18382203001) 两点式:  
HA200(8212 AGU/5812 AAL) 两点式腰带:  
HA200(A13B-5810330/A13B-5810350) 两点式腰带:  
HA200(1J17282200016/1K18082200131) 简易三点式:  
HA300(5813010-11102) 简易三点式:  
HA300(G0822010026A0(右侧),G0822010032A0(右侧),G0822010033A0(右侧),A13-5810150,A13-5810250,A13B-5810150,  
A13B-5810250)(系带锁) 简易三点式:  
HA300  
(24547687/23867626/24551944/24551947/23857820/23867633/23867634/24555990/24556824/24555990/23868862/23  
869710/23869711) 简易三点式:  
HA300(23885410) 简易三点式: HA300(5812010-11100) 简易三点式(HA600B): HA300(CV3L-5810210) 两  
点式、腰带 :HA200(8212200-09H,8212140-02,8212500-01,1D16982200038,89842 SN300,B-8211370,88854  
V0100,8212-00005,8212-00031) 两点式、腰带:  
HA200(88822 15460,24526617,8212500-05,8212500-04,8212-00043,8212-00042,9601-04602) 两点式、腰带:  
HA200(8212AGF) 两点式、腰带:  
HA200(8212AAK,88824 15460,88854 15460,88842 95680,88842 95600) 两点式、腰带:  
HA200(89842 2Z500/89847 2Z50A,89842 2Z560/89847 2Z56A,5813030-M11003,  
5813030-M11006) 两点式、腰带:  
HA200(5812010-K13001) 两点式、腰带:  
HA200(88842 W6600,88842 W6630,M333-8211210) 两点式、腰带:  
HA200(DVA-C) 两点式、腰带:  
HA200(8212800-G01,8212700-G01,8212930-J01,8212900-G01,8212800-J02,8212700-J02,8212930-J02,8212900-J02) 两  
点式腰带:  
HA200(1D16982200068,1D16982200086,1D16982200108,P0822020002A0,1B190822M0001,  
1B190822M0003) 两点式、腰带:  
HA200(8212ADM,8212AAV,8212ACB,8212ABA) 两点式、腰带:  
HA200(8212ABE(8212AAV)) 两点式腰带:  
HA200(HA200SGMWN300R) 两点式腰带:  
HA200(5813120-11100/5813130-11100/L0822014002A0) 两点式腰带:  
HA200(01803020) 两点式:

HA200-HA600B (B12-5810310/B12-5810410/B12-5810310A) 两点式:  
HA200-HA600B (82MK-11240B2/82MK-11240A2) 两点式:  
HA200 (5812150-D0501) 两点式:  
HA200 (K00A5812500) 两点式:  
HA200 (K1822020003A0/K1822015017A0) 两点式:  
HA200 (5813210-10111) 两点式:  
HA200 (L0822010022A0(中间),P1822020004A0(中间))(供带锁) 两点式:  
HA200  
(24532883/24547685/24532884/24551946/24551949/24551953/24544821/24549825/24545139/24544822/24519109/24542252/24526690/24526689/24526692) 两点式:  
HA200 (23885404,23885405,23885406,23885407) 三点式: HA200 (5812130-11100) ;  
HA200(FA1A-57-720) 两点式 (HA200) ;HA200(5812030-41500) 三点式 4 型:  
HA304.1 三点式 4 型:  
HA304.1(5811AAU/5811AAV) 三点式 4 型:  
HA304.1(06801113/06801114/06801118/06801119/06801115/06802871) 三点式 4 型:  
HA301-HA600A  
(82MK-11021A2/82MK-11020A2/82MG-11021A2/82MG-11020A2/82MK-11021B2/82MK-11020B2/82MG-11021B2/82MG-11020B2) 三点式 4 型:  
HA301-HA600A (5811100-D0501/5811200-D0501/5811ABB/5811ABC) 三点式 4 型:  
HA301-HA600A (M03A5811100/M03A5811200) 三点式 4 型:  
HA301-HA600A (K1822010010A0/K1822010012A0/K1822010017A0/K1822010018A0) 三点式 4 型:  
HA301-HA600A (5811010-10112/5811020-10112) 三点式 4 型(HA600A):  
HA301(24544806/24544807/24544808/24544809) 三点式, 4 型(HA600A):  
HA301(23885397,23885399) 三点式, 4 型(HA600A):  
HA301-HA600A(5811050-120,5813070-120/ 5813080-120) 三点式, 4 型 ( HA600A ) :  
HA301(5811010-41500,5811020-41500) 三点式 4 型:  
HA301(1K18082200081,1K18082200091,1117282200103) 三点式 4 型:  
HA301(1B18382203000,1B18382203001,1B16282200001) 三点式 4 型:  
HA301(1J17282200003,1K18082200111,1K18082200121) 三点式 4 型:  
HA301-HA600-B(B-8211561/B-8211560/B-8211350A/B-8211360A) 三点式 4 型:  
HA301-HA600B (82MK-11121A2/82MK-11120A2/82MK-11221A2/82MK-11220A2) 三点式 4 型:  
HA301-HA600B (L0822014004A0) 三点式 4 型:  
HA301-HA600B (5812AAS/5812110-D0501/5812120-D0501) 三点式 4 型:  
HA301-HA600B (K00A5812100/K00A5812200/K00A5812700) 三点式 4 型:  
HA301-HA600B (M03A5812100/M03A5812700) 三点式 4 型:  
HA301-HA600B  
(K1822020001A0/K1822020004A0/K1822020005A0/K1822020006A0/K1822020007A0/K1822020008A0/K1822020009A0/K1822020013A0/K1822020014A0/K1822020015A0/K1822020016A0/K1822020017A0/K1822020018A0/K1822020019A0/K1822025013A0/K1822025014A0) 三点式 4 型:  
HA301-HA600B (5813150-10111/5813160-10111/5812010-10111/5812020-10111/  
5813170-10501/5813180-10501) 三点式 4 型:  
HA301-HA600B  
(P1822020002A0/P1822020003A0(左侧),P1822020006A0/P1822020003A0(右侧),L0822010022A0(右侧))(供带锁) 三点式 4 型(HA600B):

HA301(24532880/24547681/24547683/24544800/24544802/24533909/24533910/24526685/24526683/24526684/24544022/24544023/24544025/24544026)

三点式 4 型:

HA301-HA600B(5812ABE) 三点式 4 型:  
HA301-HA600B (A22-5810210/A22-5810220) 三点式 4 型 (HA600B):  
HA301(23885408,23885409) 三点式, 4 型:  
HA301-HA600B(5812010-11101):  
HA301-HA600B(K0822020038A0,K0822020045A0):  
HA301-HA600B(FA1A-57-790,FA1A-57-750,FA1A-57-730):

三点式, 4 型(HA600B):

HA301-HA600B(5813010-12010/5813010-12020,5813020-12010/5813020-12020,5812010-12010/5812010-12020,5812020-12010/5812020-12020) 三点式, 4 型: HA301-HA600B(88844 P2700,88844 P2730,88824 E050A,88824 E050B) 三点式, 4 型 (HA600B): HA301 (23885396;23885398) 三点式 4 型 (HA600B): 5812ABF (HA304.1) 三点式, 4 型 (HA600B): HA301(5812010-41500) 两点式腰带:

HA200(A13B-5810240) 三点式 4 型:

HA301-HA600C(B-8211111/B-8211110/B-8211211/B-8211210/B-8211111A/B-8211110A) 三点式 4 型:

HA301-HA600C (L0822014004A0) 简易三点式:

HA300-HA600C (G0822010033A0(左侧))(钢丝绳) 三点式 4 型:

HA301-HA600C (L0822010019A0(左侧),L0822010019A0(右侧),L0822010022A0(左侧),G0822010026A0(左侧),G0822010032A0(左侧))(钢丝绳) 三点式, 4 型: HA301-HA600C (86844 P2760,86844 P2780,86844 P2730) 三点式 4 型:

HA304.1(5812AAK) 三点式 4 型:

HA301(HA3015GMWN300R) 三点式 4 型:

HA304.1-HA600A (5811ABU/5811ABT,5811ABR/5811ABS) (带限力) 三点式, 4 型 (HA600A):

HA304 (86844 LC40A;86844 LC40B)

HA304.1(86845 LC40A;86845 LC40B) 三点式 4 型:

HA304.1(5811 AAT(带限力)/5811 AAS(带限力)) 三点式 4 型:

HA304.1-HA600B (5812AAZ) 三点式, 4 型: HA304.1-HA600B(5813AAM) 三点式 4 型(HA600B): HA304.1(5813AAP)

三点式, 4 型 (HA600B): HA304.1 (01304229, 01304231, 01304230, 01304232, 01304233, 01304234, 01304235)

三点式, 4 型(HA600B): HA304.2-HA600B (5813030-12010/5813030-12020) 三点式, 4 型

(HA600A) HA305 5811090-120/5811060-120 三点式, 4 型 (HA600A): 5811040-K11002:

5811040-K11031:


5813130-K11002:

5813130-K11031:

三点式, 4 型 (HA600B): 5812010-K11002:

5812010-K11031 (HA203) 三点式 4 型:

HA302-HA600B (K1822021002A0/K1822021003A0) 三点式 4N 型 HA304.3

联系人: 陈若  
电话: 0574-62496133  
电子邮箱: jswk@songyuansafety.com  
指定签字人: 

自我声明时间: 2020-05-26

自我声明地点:

生产者签章:



注: 有关本声明信息真伪可登录全国认证认可信息公共服务平台 (ex.cnca.cn) 或扫描右上方二维码查询。



# 产品认证证书

证书编号: CCAP2003091104000009 版本: 00

认证委托人名称、地址:  
浙江松原汽车安全系统股份有限公司  
浙江省余姚市牟山镇运河沿路1号 邮编: 315456

商标: HA  
生产者(制造商)名称、地址:  
浙江松原汽车安全系统股份有限公司  
浙江省余姚市牟山镇运河沿路1号 邮编: 315456

生产企业名称、地址:  
浙江松原汽车安全系统股份有限公司 (1000009)  
浙江省余姚市牟山镇运河沿路1号 邮编: 315456

产品名称和系列、型号、规格:  
(具体型号、规格见明细表)

产品标准和技术要求:  
GB 14166-2013, GB 8410-2006, CCAP-GZ-5810:2019

认证模式: 型式试验+初始工厂检查+获证后监督  
上述产品符合《机动车辆产品CCAP标志认证实施规则 汽车安全带》要求

发证日期: 2020年05月08日

有效期至: 2025年05月07日

本证书的有效性靠定期的监督获得保持

何晓亮

总经理

中汽认证中心有限公司

地址: 北京市海淀区首体南路2号11层 邮编: 100044 网址: <http://www.ccap.org.cn>



# 产品认证证书

附录:

第1页 共7页

证书编号: CCAP2003091104000009

型号规格:

三点式4型:HA301(1B16982220030, 1B16982220033, 1B16982220022, 1B16982230022, 1B16982201074, 1B17882230030, 1B17882230033, 1B16982200030, 1B16982200040, 1B16982200033, 1B16982200022, 1B178822X0001, 1B160822X0001, FB160822X0002, 1B16982200045, 1B173822X0001, 1B202822X0001, 1B15882220200, 1B20182200001, 1B14882200010, 1B14882200020, 1B14882200030, 1B14882200040, 1B16982230022, 1B16982200100, 1B16982200101, 1B16982200105, 1B16982200106, 1B16982220100, 1B16982220101, 1B16982220105, 1B16982220106, 1B202822X0003, 1B24982200000, 1B17882200012, 1B17882200009, 1B202822M0001, 24533610/24533611, 1B24982200004, 1B24982200005, 1B18082200011, 1B16982200074, 1K16982200013, 1D16982200016, 1D16982200017, 1D16982200019, 1D16982200020, 1D16982200011, 1D16982200001, 1D16982200037, 1D16982200039, 8212100-06H, 8212100-05H, 8212200-04H, 8212200-06H, 8212100-02, 8212100-01, 8212100-03, 8212200-03, 8212100-05, 8212200-04, 8212300-01, 8212400-01, 6906-00013, 6906-00013A, B-8211050, B-8211350, B-8211060, B-8211360, 86844 YN500, 86845 YN500, 88844 YN500, 88845 YN500, 89844 YN500, 89845 YN500, 8212-00012, 8212-00032, 8212-00005A, 8212-00038, 6906-00042), 三点式、4N型 HA301 M51-8205015 三点式4型: HA301(1B18082200311, 1B17082220011, 1B17082200011, 1B20182220001, 1B157822X0001, 1B19082230030, 111-6809015, 24526610, 24526611, 8212100-07, 8212300-02, 8212400-03, 86844 P2700, 86844 1S460, 6906-00075, 8212-00040, 8212-00046, 6906-00068A) 三点式4型:HA301(8212ACJ, 8212ACK

注: 此附录与证书同时使用时有效。



中汽认证中心有限公司

总经理

地址: 北京市海淀区首体南路2号11层 邮编: 100044 网址: <http://www.eccap.org.cn>

# 产品认证证书

附录:

第2页 共7页

证书编号: CCAP2003091104000009

型号规格:

, 8212ACL) 三点式4型:HA301(M333-8211110, 88845 9S600, 88845 9S680, 88844 9S680, 88844 9S600, 86844 9S680, 86844 9S600, 8212AAE, 8212AAG, 8212AAJ, 1D16982200053, 1D16982200054, 1B14882200017, 1B14882200027, 1B14882200031, 1B14882200041, M333-8211110,) 三点式、4N型 G20-5810200, G20-5810100 三点式4型:HA301(8212AGQ, 8212AGR) 三点式4型:HA301(86844 2ZS00/86844 2ZS60, 5811020-M11003/5811020-M11006, 88845 2ZS00/88845 2ZS3A/88845 2ZS60/88845 2ZS3B, 5812010-M11003/5812010-M11006, 88844 2ZS00/88844 2ZS3A/88844 2ZS60/88844 2ZS3B, 5812020-M11003/5812020-M11006, 89845 2ZS00/89845 2ZS60, 5813010-M11003/5813010-M11006, 89844 2ZS00/89844 2ZS60, 5813020-M11003/5813020-M11006, 86844 2ZS00/86844 2ZS60, 5811020-M11003/5811020-M11006) 三点式4型:HA301(1B18082200210, 1B1808220011, 1B18082200011) 三点式、4N型 HA301 M5122-8205015 M61-8205015 三点式4型:HA301(5811010-K13001, 5811020-K13001) 三点式4型:HA301(88845 W6630, 88845 W6600, 88844 W6630, 88844 W6600, 86844 W6600, 86844 W6630) 三点式4型:HA301 (1B18082200811) 三点式4型:HA301(DVA-B) 三点式4型:HA301(M333-8211110, G20-5810200, G20-5810100, 88845 9S600, 88845 9S680, 88844 9S680, 88844 9S600, 86844 9S680, 86844 9S600, 8212AAE, 8212AAG, 8212AAJ, 1D16982200053, 1D16982200054, 1B14882200017, 1B14882200027, 1B14882200031, 1B14882200041, M333-8211110) 三点式、4型: HA301 (8212330-G01, 8212440-G01, 8212920-G01, 8212910-G01, 8212110-G02, 8212220-G02, 8212330-J02, 8212440-J02, 8212920-J02, 8212910-J02, 8212110-J02, 8212220-J02, 1B16082200222, 1B19082200001, H4681010800A0

注: 此附录与证书同时使用时有效。



中汽认证中心有限公司

总经理

地址: 北京市海淀区首体南路2号11层 邮编: 100044 网址: <http://www.cccap.org.cn>

# 产品认证证书

附录:

第3页 共7页

证书编号: CCAP2003091104000009

型号规格:

, H4681020800A0) 三点式4型:HA301 三点式4型:HA301(1B186822M0001, 1B17882230031, 1D16982200049, 1D16982200050, 1D16982200057, 1D16982200088, 1D16982200089, 1D16982200067, 1D16982200069, 1D16982200085, 1D16982200106, 1D16982200079, 1D16982200082, 1D16982200071, 1D16982200107, 1D16982200109, P0822020003A0, P0822020001A0, 24533609) 三点式4型:HA301(1B16082200111, 8212ADH, 8212ADJ, 8212ADK, 8212ADL, 8212AAS, 8212AAT, 8212AAU, 8212AHK, 8212AHL, 8212ACA, 8212AAW, 8212AAY, 8212AAZ, 8212ADS) 三点式4型:HA301(8212ABB(8212AAS), 8212ABC(8212AAT), 8212ABD(8212AAU), A23A-5810010(B-8211050)) 三点式4型:HA301(1B16282200002, G0822010016A0, G0822010018A0) 三点式4型:HA301(1J17282200010) 三点式4型:HA301(L0822014001A0/L0822014003A0/5811010-11100/5813010-11101/5813020-11101) 三点式4型:Three-Point Belt, Type4HA301(01803017/01803016/G0822010021A0) 两点式、3型:HA201(8212-00004, 8212-00022) 三点式4型:HA300(1B16982220023, 1B16982201075, 1B15882220200, 1B15882220033, 8212130-01, 8212300-03, 1010-8212010B) 简易两点式:HA200(86854 LC40A;86854 LC40B) 三点式4型:HA300(1B16982220030, 1B16982220033, 1B16982220022, 1B16982230022, 1B16982201074) 三点式4型:HA300(1B14882200008, 1B14882200009, 1B14882200011, 1B14882200012) 两点式腰带:HA200(1K18082200161, 1J17282200116) 两点式:HA200(1B18382203000, 1B18382203001) 两点式:HA200(8212 AGU/5812 AAL) 两点式腰带:HA200(A13B-5810330/A13B-5810350) 两点式腰带:HA200(1J17282200016/1K18082200131) 简易三点式:HA300(5813010-11102) 简易三点式:HA300 (G0822010026A0(右侧), G0822010032A0(右侧), G0822010033A0(右侧))

注:此附录与证书同时使用时有效。



总经理

中汽认证中心有限公司

地址:北京市海淀区首体南路2号11层 邮编:100044 网址: <http://www.ccap.org.cn>

# 产品认证证书

附录:


第4页 共7页

证书编号: CCAP2003091104000009

型号规格:

, A13-5810150, A13-5810250, A13B-5810150, A13B-5810250)(织带锁) 简易三点式:HA300  
(24547687/23867626/24551944/24551947/23857820/23867633/23867634/24555990/24556824/24555990/2386  
简易三点式:HA300 (23885410) 简易三点式: HA300(5812010-11100) 简易三点式 (HA600B)  
: HA300 (CV3L-5810210) 两点式、腰带:HA200(8212200-09H, 8212140-02, 8212500-01,  
1D16982200038, 89842 5N300, B-8211370, 88854 V0100, 8212-00005, 8212-00031) 两点式、  
腰带:HA200(88822 1S460, 24526617, 8212500-05, 8212500-04, 8212-00043, 8212-00042, 9601-04602)  
两点式、腰带:HA200(8212AGF) 两点式、腰带:HA200(8212AAK, 88824 1S460, 88854 1S460, 88842  
9S680, 88842 9S600) 两点式、腰带:HA200(89842 2ZS00/89847 2ZS0A, 89842 2ZS60/89847 2ZS6A,  
5813030-M11003, 5813030-M11006) 两点式、腰带:HA200(5812010-K13001) 两点式、腰带:HA200  
(88842 W6600, 88842 W6630, M333-8211210) 两点式、腰带:HA200(DVA-C) 两点式、腰带:HA200  
(8212800-G01, 8212700-G01, 8212930-J01, 8212900-G01, 8212800-J02, 8212700-J02, 8212930-J02,  
8212900-J02) 两点式腰带:HA200(1D16982200068, 1D16982200086, 1D16982200108,  
P0822020002A0, 1B190822M0001, 1B190822M0003) 两点式、腰带:HA200(8212ADM, 8212AAV,  
8212ACB

注: 此附录与证书同时使用时有效。



中汽认证中心有限公司

总经理

地址: 北京市海淀区首体南路2号11层 邮编: 100044 网址: <http://www.cccap.org.cn>

# 产品认证证书

附录:


第5页 共7页

证书编号: CCAP2003091104000009

型号规格:

, 8212ABA) 两点式、腰带:HA200(8212ABE(8212AAV)) 两点式腰带:HA200(HA200SGMWN300R)  
两点式腰带:HA200(5813120-11100/5813130-11100/L0822014002A0) 两点式腰带:HA200(01803020)  
两点式:HA200-HA600B (B12-5810310/B12-5810410/B12-5810310A) 两点式:HA200-HA600B  
(82MK-11240B2/82MK-11240A2) 两点式:HA200 (5812150-D0501) 两点式:HA200 (K00A5812500)  
两点式:HA200 (K1822020003A0/K1822015017A0) 两点式:HA200 (5813210-10111) 两点式:HA200  
(L0822010022A0(中间), P1822020004A0(中间))(织带锁) 两点式:HA200  
(24532883/24547685/24532884/24551946/24551949/2455195324544821/24549825/24545139/24544822/2451  
两点式:HA200 (23885404, 23885405, 23885406, 23885407) 二点式: HA200 (5812130-  
11100) ;HA200(FA1A-57-720) 两点式 (HA200) ;HA200(5812030-41500) 三点式4型:HA304.1  
三点式4型:HA304.1(5811AAU/5811AAV) 三点式4型:HA304.1  
(06801113/06801114/06801118/06801119/06801115/06802871) 三点式4型:HA301-HA600A (82MK-  
11021A2/82MK-11020A2/82MG-11021A2/82MG-11020A2/82MK-11021B2/82MK-11020B2/82MG-  
11021B2/82MG-11020B2) 三点式4型:HA301-HA600A (5811100-D0501/5811200-  
D0501/5811ABB/5811ABC) 三点式4型:HA301-HA600A (M03A5811100/M03A5811200)  
三点式4型:HA301-HA600A (K1822010010A0/K1822010012A0/K1822010017A0/K1822010018A0)  
三点式4型:HA301-HA600A (5811010-10112/5811020-10112) 三点式4型(HA600A):HA301  
(24544806/24544807/24544808/24544809) 三点式, 4型(HA600A):HA3010(23885397, 23885399)  
三点式, 4型(HA600A):HA301-HA600A(5811050-120, 5813070-120/ 5813080-120) 三点式, 4型  
(HA600A) ; HA301(5811010-41500, 5811020-41500) 三点式4型:HA301(1K18082200081

注: 此附录与证书同时使用时有效。



中汽认证中心有限公司

总经理

地址: 北京市海淀区首体南路2号11层 邮编: 100044 网址: <http://www.ccap.org.cn>

# 产品认证证书

附录:

第6页 共7页

证书编号: CCAP2003091104000009

型号规格:

, 1K18082200091, 1J17282200103) 三点式4型:HA301(1B18382203000, 1B18382203001, 1B16282200001) 三点式4型:HA301(1J17282200003, 1K18082200111, 1K18082200121) 三点式4型:HA301-HA600-B(B-8211561/B-8211560/B-8211350A/B-8211360A) 三点式4型:HA301-HA600B (82MK-11121A2/82MK-11120A2/82MK-11221A2/82MK-11220A2) 三点式4型:HA301-HA600B (L0822014004A0) 三点式4型:HA301-HA600B (5812AAS/5812110-D0501/5812120-D0501) 三点式4型:HA301-HA600B (K00A5812100/K00A5812200/K00A5812700) 三点式4型:HA301-HA600B (M03A5812100/M03A5812700) 三点式4型:HA301-HA600B (K1822020001A0/K1822020004A0/K1822020005A0/K1822020006A0/K1822020007A0/K1822020008A0/K1822020009A0) 三点式4型:HA301-HA600B (5813150-10111/5813160-10111/5812010-10111/5812020-10111/5813170-10501/5813180-10501) 三点式4型:HA301-HA600B(P1822020002A0/P1822020003A0(左侧), P1822020006A0/P1822020003A0(左侧), L0822010022A0(右侧))(织带锁) 三点式4型(HA600B):HA301 (24532880/24547681/24547683/24544800/24544802/24533909/24533910/24526685/24526683/24526684/24526685) 三点式4型:HA301-HA600B(5812ABE) 三点式4型:HA301-HA600B (A22-5810210/A22-5810220) 三点式4型 (HA600B) :HA301(23885408, 23885409) 三点式, 4型:HA301-HA600B(5812010-11101);HA301-HA600B(K0822020038A0, K0822020045A0);HA301-HA600B(FA1A-57-790, FA1A-57-750, FA1A-57-730);三点式, 4型(HA600B):HA301-HA600B(5813010-12010/5813010-12020, 5813020-12010/5813020-12020, 5812010-12010/5812010-12020

注: 此附录与证书同时使用时有效。



中汽认证中心有限公司

总经理

地址: 北京市海淀区首体南路2号11层 邮编: 100044 网址: <http://www.ccap.org.cn>

# 产品认证证书

附录:

第7页 共7页

证书编号: CCAP2003091104000009

型号规格:

, 5812020-12010/5812020-12020) 三点式, 4型: HA301-HA600B(88844 P2700, 88844 P2730, 88824 E050A, 88824 E050B) 三点式, 4型 (HA600B) :HA301 (23885396;23885398) 三点式 4型 (HA600B) ; 5812ABF (HA304.1) 三点式, 4型 (HA600B) :HA301(5812010-41500) 两点式腰带:HA200 (A13B-5810240) 三点式4型:HA301-HA600C (B-8211111/B-8211110/B-8211211/B-8211210/B-8211111A/B-8211110A) 三点式4型:HA301-HA600C (L0822014004A0) 简易三点式:HA300- HA600C (G0822010033A0(左侧))(钢丝锁) 三点式4型:HA301-HA600C (L0822010019A0(左侧), L0822010019A0(右侧), L0822010022A0(左侧), G0822010026A0(左侧), G0822010032A0(左侧))(钢丝锁) 三点式, 4型: HA301-HA600C (86844 P2760, 86844 P2780, 86844 P2730) 三点式4型:HA304.1(5812AAK) 三点式4型:HA301 (HA301SGMWN300R) 三点式4型:HA304.1-HA600A (5811ABU/5811ABT, 5811ABR/5811ABS) (带限力) 三点式, 4型 (HA600A) ; HA304.(86844 LC40A;86844 LC40B)HA304.1(86845 LC40A;86845 LC40B) 三点式4型:HA304.1(5811 AAT(带限力)/5811 AAS(带限力)) 三点式4型:HA304.1-HA600B (5812AAZ) 三点式, 4型: HA304.1-HA600B (5813AAM) 三点式 4型 (HA600B) ; HA304.1 (5813AAP) 三点式, 4型 (HA600B) ; HA304.1 (01304229, 01304231; 01304230, 01304232; 01304233, 01304234, 01304235) 三点式, 4型 (HA600B):HA304.2-HA600B (5813030-12010/5813030-12020) 三点式, 4型 (HA600A) HA305 5811090-120/5811060-120 二点式, 4型 (HA600A) ; 5811040-K11002; 5811040-K11031; 5813130-K11002; 5813130-K11031; 二点式, 4型 (HA600B) ; 5812010-K11002; 5812010-K11031 (HA203) 三点式4型:HA302-HA600B (K1822021002A0/K1822021003A0) 三点式4N型

注:此附录与证书同时使用时有效。



总经理



中汽认证中心有限公司



中国认可  
检测  
TESTING  
CNAS L0668



210008349366

报告编号: QD22491DA2971

# 检 验 报 告

汽车内饰材料

产品名称: 汽车座椅材料

型号规格: 05270-5

受检单位: 旷达汽车饰件系统有限公司

检验类别: 强制性检验



中国汽车工程研究院股份有限公司检测中心  
国家机动车质量检验检测中心(重庆)



# 注 意 事 项

- 1、报告无检验单位“检验检测专用章”无效。
- 2、复制报告未重新加盖“检验检测专用章”无效。
- 3、报告无主检、审核、批准人签字无效。
- 4、报告涂改无效，缺页无效。
- 5、对检验报告若有异议，请尽可能于收到检验报告之日起十五日内向检验单位提出。
- 6、送样检验仅对样品负责。

---

检验单位：国家机动车质量检验检测中心（重庆）

地 址：重庆市北部新区金渝大道 9 号

电 话：023-68821302

邮政编码：401122

---

受检单位：旷达汽车饰件系统有限公司

地 址：江苏省常州市武进区雪堰镇潘家旷达路 1 号

电 话：——

邮政编码：213179

---

# 检验报告

检验检测中心(重庆)

共 3 页 第 1 页

样品名称	汽车座椅材料	商 标	—
型号规格	05270-5	检验类别	强制性检验
受检单位	旷达汽车饰件系统有限公司	生产单位	旷达汽车饰件系统有限公司
送样者	沈姣	送样日期	2022.03.01
样品数量	面料 1 块 (可制成 5 块标准试样)	生产日期	—
检验依据	GB 8410-2006《汽车内饰材料的燃烧特性》	检验项目	燃烧特性
检验结论	<p>经检验, 所检样品符合 GB 8410-2006《汽车内饰材料的燃烧特性》的要求。</p> <div style="text-align: center;">  <p>(1) 签发日期: 2022年3月8日</p> </div>		
备 注	—		

批准:

申娟

审核:

罗成

主检:

高洋

# 检验报告


## 一、检验结果

检验项目	标准要求	检验结果	符合性判定
燃烧特性	<p>燃烧速度<math>\leq 100</math> mm/min。</p> <p>按以下要求表示检验结果:</p> <p>1、A-0 mm/min: 试样暴露在火焰中 15s, 熄灭火源试样仍未燃烧, 或试样能燃烧, 但火焰达到第一测量标线之前熄灭, 无燃烧距离可计。</p> <p>2、B: 从试验计时开始, 火焰在 60s 内自行熄灭, 且燃烧距离不大于 50mm。</p> <p>3、C-燃烧速度实测值 mm/min: 从试验计时开始, 火焰在两个测量标线之间熄灭, 且不足第 2 条情况时, 按标准计算燃烧速度。</p> <p>4、D-燃烧速度实测值 mm/min: 从试验计时开始, 火焰燃烧到达第二标线, 或从计时开始, 试样缓慢燃烧, 在 20min 时终止试验, 按标准计算燃烧速度。</p> <p>5、E: 试样在火焰引燃 15s 内已经燃烧并到达第一标线。</p>	A-0 mm/min	符合

## 二、检验时间、地点

检验于 2022.03.03~2022.03.04 在国家机动车质量检验检测中心(重庆)部件与材料测评研究中心进行。

## 三、试验照片



# 检验报告

## 四、样品基本配置及参数表

项 目	样品情况					
样品名称	汽车座椅材料					
型号规格	05270-5					
位置	结构	材料名称	正面颜色	厚度 mm	备注	
—	层积复合	织物+海绵+底衬	黑色	1	—	
生产单位	旷达汽车饰件系统有限公司					
所配车型型号、名称	—					

## 五、企业提供资料清单

受检单位提供的样品基本配置及参数。

-----检验报告结束-----



## 同材质声明

北京光华荣昌汽车部件有限公司（以下简称“贵司”）：

兹有我司（公司名称）：旷达汽车饰件系统有限公司

向贵司郑重声明，我司向贵司所供应的所有零件/材料与检测报告中的零件/材料使用材质相同（详见下表），且符合贵司的限值要求。

供应的零件/材料名称	供应的零件/材料编号	视同检测报告编号	报告中零件/材料名称	报告中零件/材料编号	备注
03375	/	QD22491DA2971	05270-5	/	阻燃

如有违反，我司将承担因此而引起的所有风险及经济、法律责任。

声明方：旷达汽车饰件系统有限公司



日期：2022年7月7日





中国认可  
检测  
TESTING  
CNAS L0668



210008349366

报告编号: QD22491DA8971

# 检 验 报 告

汽车内饰材料

产品名称: 汽车座椅材料

型号规格: TR5171-6

受检单位: 旷达汽车饰件系统有限公司

检验类别: 强制性检验



中国汽车工程研究院股份有限公司检测中心  
国家机动车质量检验检测中心(重庆)



# 注 意 事 项

- 1、报告无检验单位“检验检测专用章”无效。
- 2、复制报告未重新加盖“检验检测专用章”无效。
- 3、报告无主检、审核、批准人签字无效。
- 4、报告涂改无效，缺页无效。
- 5、对检验报告若有异议，请尽可能于收到检验报告之日起十五日内向检验单位提出。
- 6、送样检验仅对样品负责。

---

检验单位：国家机动车质量检验检测中心（重庆）

地 址：重庆市北部新区金渝大道 9 号

电 话：023-68821302

邮政编码：401122

---

受检单位：旷达汽车饰件系统有限公司

地 址：江苏省常州市武进区雪堰镇潘家旷达路 1 号

电 话：——

邮政编码：213179

---

# 检验报告

检验检测中心(重庆)

共 3 页 第 1 页

样品名称	汽车座椅材料	商 标	—
型号规格	TR5171-6	检验类别	强制性检验
受检单位	旷达汽车饰件系统有限公司	生产单位	旷达汽车饰件系统有限公司
送 样 者	沈姣	送样日期	2022 年 6 月 13 日
样品数量	面料 1 块 (可制成 5 块标准试样)	生产日期	—
检验依据	GB 8410-2006 《汽车内饰材料的燃烧特性》	检验项目	燃烧特性
检验结论	<p>经检验, 所检样品符合 GB 8410-2006 《汽车内饰材料的燃烧特性》的要求。</p> <div style="text-align: right;">  <p>5001 签发日期: 2022 年 6 月 16 日</p> </div>		
备 注	—		

批准: 申娟

审核: 罗红

主检: 高洋

# 检验报告

检验检测中心(重庆)

共 3 页 第 2 页


## 一、检验结果

检验项目	标准要求	检验结果	符合性判定
燃烧特性	<p>燃烧速度<math>\leq 100</math> mm/min。</p> <p>按以下要求表示检验结果:</p> <p>1、A-0 mm/min: 试样暴露在火焰中 15s, 熄灭火源试样仍未燃烧, 或试样能燃烧, 但火焰达到第一测量标线之前熄灭, 无燃烧距离可计。</p> <p>2、B: 从试验计时开始, 火焰在 60s 内自行熄灭, 且燃烧距离不大于 50mm。</p> <p>3、C-燃烧速度实测值 mm/min: 从试验计时开始, 火焰在两个测量标线之间熄灭, 且不足第 2 条情况时, 按标准计算燃烧速度。</p> <p>4、D-燃烧速度实测值 mm/min: 从试验计时开始, 火焰燃烧到达第二标线, 或从计时开始, 试样缓慢燃烧, 在 20min 时终止试验, 按标准计算燃烧速度。</p> <p>5、E: 试样在火焰引燃 15s 内已经燃烧并到达第一标线。</p>	A-0 mm/min	符合

## 二、检验时间、地点

检验于 2022.06.14~2022.06.15 在国家机动车质量检验检测中心(重庆)部件与材料测评研究中心进行。

## 三、试验照片



# 检验报告

## 四、样品基本配置及参数表

项 目		样品情况				
样品名称		汽车座椅材料				
型号规格		TR5171-6				
位置	结构	材料名称	正面颜色	厚度 mm	备注	
—	单一	织物	蓝色	0.7	—	
生产单位	旷达汽车饰件系统有限公司					
所配车型型号、名称	—					

## 五、企业提供的资料清单

受检单位提供的样品基本配置及参数。

-----检验报告结束-----



GW/Qe-VD-04-B-CLJS-01-02

## 同材质声明

北京光华荣昌汽车部件有限公司（以下简称“贵司”）：

兹有我司（公司名称）：旷达汽车饰件系统有限公司

向贵司郑重声明，我司向贵司所供应的所有零件/材料与检测报告中的零件/材料使用材质相同（详见下表），且符合贵司的限值要求。

供应的零件/材料名称	供应的零件/材料编号	视同检测报告编号	报告中零件/材料名称	报告中零件/材料编号	备注
TR560-3	/	QD22491DA8971	TR5171-6	/	阻燃

如有违反，我司将承担因此而引起的所有风险及经济、法律责任。

声明方：旷达汽车饰件系统有限公司



日期：2022年7月7日





## II型自愿认证变更申请书

申请编号/Application No.: V2022CQC107303-979305

认证委托人/Applicant: 北京光华荣昌汽车部件有限公司/BEIJING GOLDRARE Automobile parts Co.,LTD.

联系人/Contact Person: 张慧/Zhang Hui

电话/ Telephone: 18610117320

传真/Fax:

电子邮件/E-mail: cstj@bjghrc.com



### 一、申请内容/Contents of Application:

本次认证申请的详细信息见中国质量认证中心产品认证业务在线申办系统中填写的内容。/The details of this application is referenced in China Quality Certification Centre Product Certification Online System;

### 二、认证委托人承诺/Commitment of the Applicant

本申请书项下认证委托人现就本次认证向CQC郑重承诺如下:

For the application for the certification, the applicant under this application hereby makes solemn commitment to CQC as follows:

1、保证认证对象<sup>[1]</sup>具备相关法定资质、资格且未列入国家信用信息严重失信主体相关名录;保证认证对象等符合《产品质量法》《消费者权益保护法》《认证认可条例》《认证机构管理办法》等相关法律法规的规定,不得违背公序良俗,不得侵害他人的人身权利、财产权利以及其他合法权益,不得损害公共利益。

To ensure that the certification object has the corresponding statutory qualifications and has not been included in the relevant list of seriously dishonest entities concerning the national credit information; Ensure the certification object comply with relevant laws and regulations including but not limited to Product Quality Law of the People's Republic of China, Law of the People's Republic of China on the Protection of Rights and Interests of Consumers, Regulations of the People's Republic of China on Certification and Accreditation, Administrative Measures on Certification Bodies, and shall not violate the public order and good customs, harm the personal rights, property rights and other lawful rights and interests of others, nor harm public interests.

2、保证严格遵守法律、法规、部门规章和规范性文件的规定,以及认证所适用的认证规则(包括但不限于认证实施规则、技术要求等);根据相关法律法规,认证委托人、产品的生产者(制造商)或销售商应承担相应的主体责任,包括但不限于产品质量责任、侵权责任等。认证委托人知悉,CQC对申请认证产品作出合格评定,仅表明获证产品符合特定标准及认证规则要求,并不代表CQC将承担依法应由该等产品的生产者(制造商)或销售商承担的产品质量责任及其它任何法律责任。

To ensure the strict compliance with the provisions of laws, regulations, departmental rules and normative documents, as well as the applicable certification rules (including but not limited to the certification implementation rules, technical requirements, etc.); According to the relevant laws and regulations, the applicant, the producer (manufacturer) or the seller of the product shall bear the corresponding entity's responsibility, including but not limited to the product quality responsibility, tort liability, etc. The applicant is aware that CQC's conformity assessment of the products applying for certification only indicates that the certified products meet the requirements of specific standards and certification rules, and does not mean that CQC will bear the product quality responsibility and any other legal responsibility that should be borne by the producers (manufacturers) or sellers of such products according to law.

3、保证将向CQC提供其为进行本申请书项下认证活动所必需、真实、准确、完整、合法、有效的原始书面材料、副本材料、复印材料(包括电子文档)或口头说明,不存在任何虚假记载、误导性陈述或者重大遗漏之处,有关材料上的签字、印章真实、合法、有效,有关副本材料或复印件均与其正本材料或原件一致,作出的所有口头说明均与事实相符。

To ensure the original written materials, copy materials, duplicates (including electronic documents) or oral statements provided to CQC are necessary, true, accurate, complete, lawful and effective for the certification under this application, without any false records, misrepresentation or major omission, the signatures and seals on the relevant materials are true, legitimate and effective, and the relevant copy materials or duplicates are consistent with the reserved copy or the originals, and all the oral statements are consistent with the facts.

4、保证在认证过程和获证后始终遵守诚信，CQC在认证过程和获证后监督中做出的任何决定，均基于认证委托人诚信的前提。对于认证委托人实施欺诈、隐瞒、误导等不诚信行为造成的所有不利后果，CQC不承担任何责任。在申请认证产品的生产者（制造商）、授权代表、生产企业并非认证委托人的情况下，相关生产者（制造商）、授权代表、生产企业的行为视为认证委托人的不诚信行为。认证委托人自行承担任何因不诚信行为导致的法律责任。

To ensure that always comply with integrity in the process of certification and after being certified, any decision made by CQC in the process of certification and supervision after being certified is based on the premise of the applicant's integrity. CQC will not assume any responsibility for all adverse consequences caused by dishonest acts such as fraud, concealment and misleading by the applicant. Under the circumstances that the producer (manufacturer), the authorized representative or manufacturing enterprise applying for certification are not the applicant, the dishonest acts of the relevant producer (manufacturer), the authorized representative or manufacturing enterprise shall be regarded as dishonest acts of the applicant. Any legal liabilities caused by dishonest behavior shall be borne by the applicant.

5、认证委托人应当妥善保管在CQC网站“产品认证业务在线申办系统”<sup>[2]</sup>申请的账号，包括用户名和密码，不得将该账号转让、出借、出租或分享给第三方使用，并应对以其账号进行的所有活动和事件负法律责任。

The applicant shall properly keep the account applied in CQC's website "online application system for product certification", including user name and password, and shall not transfer, lend, lease, or share the account to a third party for use, and shall be liable for all activities and events conducted with the use of the account.

6、本申请书记载的信息与认证委托人在CQC网站“产品认证业务在线申办系统”中提交的申请内容一致，详细信息以认证委托人在前述网页上填写并提交的具体内容为准；认证委托人授权代理机构、中国办事处等代理人办理本次认证的，认证委托人知悉并认可，该代理人就本次认证向CQC作出的任何行为均视为认证委托人向CQC作出，且该等行为产生的全部法律效果直接归属于认证委托人。

The information written in this application is consistent with the application content submitted by the applicant in the CQC's website "online application system for product certification", and the detailed information shall be subject to the specific content filled in and submitted by the applicant on the aforesaid webpage; **if the applicant authorizes an agency, China office or other agents to handle the certification, the applicant shall know and acknowledge that any act of the agent to CQC in respect of the certification shall be deemed to be done by the applicant to CQC, and all legal effects generated by such act shall be directly attributable to the certification applicant.**

7、保证本次认证所涉及的产品持续符合所适用的国家标准、行业标准及其它相关标准，并在该产品经过强制性产品自我声明并标注CCC标志后方可出厂、销售、进口或者在其他经营活动中使用，认证委托人对该等保证愿负法律上之责任。

To guarantee that the products involved in the certification conform to applicable national standards, industrial standards and other relevant standards, and that the products can only be delivered, sold, imported or used in other business activities after they have passed compulsory product self-declaration and labeled with CCC mark, and the applicant is willing to bear legal responsibility for such guarantees.

8、保证按时、足额支付本次认证所涉及的申请、试验、工厂检查及其它有关费用<sup>[3]</sup>；如因认证委托人自身原因放弃、中止本次认证，或本次认证未获CQC通过的，认证委托人仍负有根据CQC已实际完成的工作向CQC支付相应费用的义务；在认证委托人未按照双方约定或CQC通知的期限足额支付有关认证费用达到【30】日时，认证委托人同意CQC享有随时暂停直至终止本次认证的权利。认证委托人知悉并理解，在认证流程的每一环节均存在认证不通过的可能性。

To ensure that paying the fees for the application, test, factory inspection and other related activities in the certification on time and in full amount; if the applicant abandons or suspends the certification due to his/her own reasons, or the application fails to pass CQC's certification, the applicant still has the obligation to pay the corresponding fees to CQC based on the work that CQC has actually completed; when the applicant fails to pay the relevant certification fees in full in accordance with the agreement or the time limit notified by CQC in 30 days, the applicant agrees that CQC has the right to suspend the certification at any time until termination of the certification. The applicant knows and understands that there is a possibility that the certification application may not pass at every step of the certification process.

9、在申请认证产品的生产者（制造商）、授权代表或生产企业并非认证委托人的情况下，认证委托人有义务促使相关生产者（制造商）、授权代表或生产企业履行相关义务，同意为本次认证之目的对生产者（制造商）、授权代表和生产企业的有关行为进行有效约束，协调其全力协助、配合CQC的认证工作，及时将CQC对生产者（制造商）/授权代表/生产企业的具体要求以书面形式告知生产者（制造商）/授权代表/生产企业，并要求生产者（制造商）/授权代表/生产企业就CQC对其工厂检查时发现的不符合项等及时反馈给认证委托人。

**Under the circumstances that the producer (manufacturer), the authorized representative or manufacturing enterprise applying for certification are not the applicant, the applicant is liable for prompting the relevant producer (manufacturer), the authorized representative or manufacturing enterprise to perform their obligations,** agrees to effectively restrict the relevant behaviors of the producer (manufacturer), the authorized representative and the manufacturing enterprise for the purpose of the certification, coordinate them to fully assist and cooperate with CQC's certification work, and timely inform the producer (manufacturer)/the authorized representative/the manufacturing enterprise of CQC's specific requirements for the producer (manufacturer)/the authorized representative/the manufacturing enterprise in written form. In addition, the producer (manufacturer)/the authorized representative/the manufacturing enterprise are required to timely give the feedbacks to the applicant on the nonconformities found by CQC in the factory inspection.

10、认证委托人将及时关注“产品认证业务在线申办系统”中的“通知”（包括但不限于提交文件通知、送样通知、工厂检查通知、交费/费用结算通知）等与本次认证有关的信息。认证委托人保证其提供的样品的真实性及样品与实际生产的产品一致。认证委托人应当妥善保管型式试验报告、工厂检查报告和认证变更确认等与本次认证相关的资料，以备监督检查时使用。

The applicant shall timely pay attention to the “notice” (including but not limited to document submission notice, sample delivery notice, factory inspection notice, payment/expense settlement notice) and other information related to the certification on the “online application system for product certification”. The applicant shall ensure that the samples provided are consistent with the products actually being produced. Properly keep the type test report, factory inspection report and certification change confirmation and relevant materials related to the certification in case of supervision and inspection.

11、认证委托人、生产者（制造商）、授权代表和生产企业应当始终满足本次认证的要求，包括当收到CQC的通知时做出适当变更；如果本次认证适用于持续生产，则申请认证产品应持续满足认证要求。

The applicant, producer (manufacturer), the authorized representative and manufacturing enterprise shall always meet the requirements of the certification, including making appropriate changes when receiving the notice from CQC; If the certification is applicable to continuous production, the products applying for certification shall continuously meet the certification requirements.

12、当认证委托人、生产者（制造商）、授权代表和生产企业发生了以下任何一种可能影响满足认证要求的能力的变更时，包括但不限于：法律地位、生产经营状况、组织机构或所有权或控股股东发生变更；法定代表人、主要的管理/决策或技术人员发生变更；对产品或生产工艺进行改进；联系地址或生产场地发生变化；质量管理体系出现重大变化等情形，认证委托人应在“产品认证业务在线申办系统”中提交变更申请。

When there is any change in relation to the applicant, producer (manufacturer), the authorized representative and manufacturing enterprise that may affect the ability to meet the certification requirements, including but not limited to the changes in the legal status, production and operation status, organization, ownership or controlling shareholder, changes in the legal representative, main management/decision-making or technical personnel; improvement of products or production processes, changes in contact address or production site, major changes of quality management system etc., the applicant shall submit the application for change on the “online application system for product certification”.

13、在本次认证实施过程中，当出现现场检查、书面审核、产品一致性检查等事项，认证委托人应当向CQC及其相关方做出所有必要的安排。

During the implementation of the certification, the applicant shall make all necessary arrangements to CQC and its related parties when there are on-site inspection, written audit, product consistency check, etc.

14、认证委托人有关认证的声明应与认证范围一致；**在使用认证结果对其获得II型自愿认证进行宣传时，认证委托人不得损害CQC的声誉，不得做出虚假广告或者误导性宣传或未经授权的有关产品认证的声明；**认证委托人确保不采用误导的方式使用或部分使用认证证书和报告；如果将认证文件的副本提供给其他人，文件应被完整地复制或者按照认证方案的规定复制。认证电子证书与纸质证书具有同等法律效力，认证委托人应妥善管理、规范使用电子证书。

The applicant's statement about certification shall be consistent with the certification scope; **When using the certification results to promote its type II CQC certification, the applicant shall not damage CQC's reputation, and shall not make any false advertisements, misleading publicity or unauthorized statement about product certification;** the applicant shall ensure that the certificate and report are not used in a wrong way or in part; if a copy of the certification document is provided to others, the documents shall be copied in full or in accordance with the provisions of the certification scheme. The electronic certificate has the same legal effect as the paper certificate. The applicant shall properly manage the use of the electronic certificate and make the use in a standardized way.

15、严格遵守与符合性标志的使用和产品相关信息的任何要求（包括但不限于法律、法规、部门规章、规范性文件、认证规则及认证方案等），并承诺在提交自我声明后依据《强制性产品认证标志加施管理要求》[4]加施认证标志。鉴于II型自愿认证以生产者（制造商）或授权代表的CCC自我声明为最终表达方式的属性，不允许在产品主体及外包装上加施CQC标志。

To strictly abide by any requirements related to the use of conformity marks and product related information (including but not limited to laws, regulations, departmental rules, normative documents, certification rules and certification schemes, etc.), and promise to affix certification marks in accordance with the Management Requirements for the Addition of Compulsory Product Certification Marks after submitting self-declaration. In view of the attribute of type II CQC certification that the CCC self-declaration of the producer (manufacturer) or the authorized representative is the final expression, it is not allowed to add the CQC mark on the product body and outer packaging.

16、严禁伪造认证证书、认证标志。在文件、宣传册或广告等传播媒介中涉及到产品认证内容时，遵守CQC的要求或认证方案的规定；未获认证时，严禁使用CQC注册商标、商号进行任何宣传或广告。

It is strictly prohibited to forge certificate, certification mark. When the content of product certification is involved in documents, brochures, advertisements and other media, the requirements of CQC or the regulations of certification scheme shall be followed; when certificate has not been granted, it is strictly prohibited to use CQC registered trademark or trade name for any publicity or advertisement.

17、认证委托人保证在申请本次认证之前六个月内，申请认证的产品不存在曾经被撤销自我声明的情形。若认证委托人、生产者（制造商）或生产厂出现重大投诉、重大舆情，经CQC评估认为相关获证产品可能会对人体健康或生命安全造成损害的，CQC可以暂停或撤销认证证书。认证证书被暂停期间或被撤销后，认证委托人应立即停止有关认证内容的广告和宣传，采取认证方案要求的措施（如交回认证文件）以及其他需要的措施。

The applicant guarantees that within six months before applying for the certification, the product applying for the certification has not ever been revoked self-declaration. If the applicant, producers (manufacturer) or manufacturing enterprise received major complaints or public opinions, CQC may suspend or withdraw the certificate if it believes that the certified products may cause damage to human health or life safety after CQC's evaluation. During the period when the certificate is suspended or withdrawn, the applicant shall immediately stop the advertisement and publicity of the certification content, and take the measures required by the certification scheme (such as returning the certification documents) and other necessary measures.

18、保存已知的与认证要求符合性有关的所有投诉记录，以及对这些投诉和在产品中发现的影响认证要求符合性的任何缺陷所采取的适当的措施，并将所采取的措施形成文件，及时主动向CQC提供。

To keep records of all known complaints related to the conformity of certification requirements, and take appropriate measures for these complaints and any defects found in the products that affect the conformity of certification requirements, and document the measures taken and provide them to CQC in a timely and active manner.

19、认证委托人发现其获证产品在国家监督抽查、地方监督抽查或相关部门监督抽查中存在不合格的情形，或存在安全隐患，可能对人体健康和生命安全造成损害的，或生产者（制造商）、生产企业存在前述情形的，以及产品的生产者（制造商）或授权代表出现《强制性产品认证实施规则——自我声明》中规定的可能导致自我声明被撤销或实施整改的情形，无论其自我声明是否被认证监督管理部门撤销或采取其他处理措施，认证委托人均应在情况发生之日起5个工作日内以书面如实告知CQC，CQC根据实际情况，有权采取暂停、撤销证书以及其他必要措施。在需要时，要求认证委托人自行或由认证委托人督促产品的生产者（制造商）或授权代表及时向报送系统通报相关情况。

The applicant finds that the certified products are detected as unqualified in the national, local or relevant department's supervision and spot checks, or the certified products have potential safety hazards, which may cause damage to human health and life safety, or producers (manufacturer) or manufacturing enterprise has the aforesaid situation, and the producer (manufacturer) or the authorized representative of the product may cause the self-declaration to be revoked or implement rectification as specified in the "Implementation Rules on Compulsory Product Certification--self-declaration", regardless of whether the self-declaration is revoked by the certification supervision and management department or other measures are taken, the applicant shall inform CQC truthfully in writing within 5 working days from the date of occurrence, CQC has the right to suspend, withdraw the certificates and other necessary measures based on actual conditions. When necessary, the applicant is required to urge the producer (manufacturer) or the authorized representative of the product to report the relevant situation to the submission system in time or by the applicant.

20、认证委托人知悉，根据国家相关法律法规，当司法机关、行政主管部门、仲裁机构及其他相关部门依职权向CQC调查取证时，CQC有义务协助配合调查。认证委托人知悉并同意CQC会根据认证主管部门要求进行认证信息报送工作。

The applicant acknowledges that according to the relevant national laws and regulations, when the judicial authority, administrative department, arbitration body and other relevant departments investigate and collect evidence from CQC, CQC has the obligation to assist in the investigation. The applicant acknowledges and agrees that CQC will submit the certification information according to the requirements of relevant authorities.

21、认证委托人在申请书中填写的信息均是真实、准确、完整、有效、及时的，并且知悉一经CQC受理本次认证即表明同意受本申请书及受理通知书的约束。认证委托人确保在CQC留存联系方式（包括但不限于联系地址、联系人、电话、电子邮件等信息）的准确、有效，如联系方式发生任何变化应第一时间向CQC进行变更，否则认证委托人将承担因此而产生的一切不利后果（包括但不限于认证决定、通知无法送达等）。

The information filled in by the applicant in the application is true, accurate, complete, effective and in time, and the applicant acknowledges that once CQC accepts the certification, the applicant agrees to be bound by the application and the acceptance notice. The applicant shall ensure that the contact information (including but not limited to contact address, contact person, telephone, e-mail and other information) retained in CQC is accurate and effective. In case of any changes of contact information, notice of change shall be sent to CQC as soon as possible, otherwise the applicant will bear all adverse consequences (including but not limited to the consequences of certification decision, notice cannot be delivered, etc.).

22、认证委托人已经仔细阅读并充分理解本申请书项下的全部内容，以及本申请所涉及或引用的相关法律法规、规范性文件、标准和要求；如违反本承诺，愿意承担由此引起的一切法律责任。CQC将根据具体情况要求认证委托人承担继续履行、采取补救措施、赔偿损失等违约责任，并保留暂停、撤销其认证证书的权利。

The applicant has read and fully understood all the contents of this application, as well as the relevant laws and regulations, normative documents, standards and requirements involved or quoted in this application. In case of any violation, the applicant is willing to bear all the legal responsibilities arising therefrom. CQC will require the applicant to bear the liability for breach of contract such as continuing to perform, taking remedial measures, compensating for losses, etc., and retain the right to suspend, withdraw the certificate.

23、认证委托人应及时、如实地答复CQC向认证委托人提出的与认证相关的任何问题，及时提供CQC要求报送的资料及要求提供的其他文件的正本或者副本。

The applicant shall timely and truthfully reply any question from CQC which is related to certification, and submit the required materials, other original documents or its duplicates to CQC in a timely manner.

24、认证委托人因认证事宜与CQC发生争议提起诉讼时，由CQC住所地人民法院管辖。

In case of a lawsuit regarding a dispute arising in certification between the applicant and CQC, the People's Court at the location of CQC's domicile shall have jurisdiction.

25、本文件由中英文版本书写，当英文版本与中文版本不一致时，以中文版本为准。

This document is written in Chinese and English. In case of any inconsistency between the English version and the Chinese version, the Chinese version shall prevail.

### 三、认证委托人注意事项/Guidance for the Applicant

1、认证委托人应将申请书寄受理部门。 The certification applicant shall send the application to the department of CQC as specified below.

本申请受理部门:/Department accepting the application: 中国质量认证中心产品三部/China Quality Certification Centre Product Certification Department 3

地址:/Address: 中国北京南四环西路188号9区 联系电话:/Contact number: 010-83886400

2、请用中文填写认证委托人、生产者（制造商）、生产企业和认证产品的名称，需要时请用中、英二种文字填写。

Please fill in the name of the applicant, producer (manufacturer), manufacturing enterprise and certified product in Chinese, or both in Chinese and English when necessary.

3、有关认证的公开文件可登录中国质量认证中心网站（<http://www.cqc.com.cn>）获取

The public documents related to CQC product certification can be obtained on the website of China Quality Certification Centre (<http://www.cqc.com.cn>).

4、如果申请II型自愿认证，同时也申请CB认证，请填写完“认证委托人承诺”后，继续填写CB认证申请书。

If applying for type II CQC certification and CB certification at the same time, please continue to fill in CB certification application after completing "Commitment of the Applicant".

5、II型自愿认证与CB认证同时申请时，生产者（制造商）必须相同。

When applying for type II CQC certification and CB certification at the same time, the producer (manufacturer) must be the same.

6、CB认证申请书以英文填写为准，相同的内容可以复制。

CB certification application shall be completed in English, and the same content can be copied.

7、经过认证的产品能够符合自我声明的技术要求，但本认证不是自我声明评价方式的替代，通过本认证后，制造商（生产者）或授权代表仍需在“强制性认证产品符合性自我声明信息报送系统”成功报送相关信息、提交自我声明后，方能按照相关规定加施CCC标志。制造商（生产者）或授权代表对其在报送系统中提交信息的过程、结果以及在后市场监管等环节的行为和因此导致的结果承担主体责任。

The certified products can meet the technical requirements of self-declaration, but the certification is not a substitute for self-declaration evaluation, after they have passed the certification, the manufacturer (producer) or the authorized representative still needs to enter the "information submission system for compulsory certification product conformity self-declaration" has successfully submitted the relevant information and submitted the self-declaration, the CCC mark can be added in accordance with relevant regulations. The manufacturer (producer) or the authorized representative shall bear the entity's responsibility for the process and results of submitting information in the submission system, as well as the actions in the post-market supervision and other links and the resulting results.



年/Year      月/Month      日/Date

[1] 认证对象指: 1) 接受认证的法律主体; 2) 接受认证的产品。

Certification object refers to: 1) legal subject accepting certification; 2) product accepting certification.

[2] 详见CQC官方网站www.cqc.com.cn, 访问路径: 首页>>产品认证登陆, 链接: 中国质量认证中心产品认证业务在线申办系统。

See CQC official website www.cqc.com.cn for details. Access path: Home Page>>Product Certification Log in, link: China Quality Certification Centre Online Application System for Product Certification.

[3] 详见CQC官方网站: www.cqc.com.cn, 访问路径: 首页>>业务在线>>收费公示, 链接: 收费公示。 See CQC official website www.cqc.com.cn for details. Access path: home page>>online business>> notice of fees, link: notice of fees.

[4] 详见CQC官方网站: www.cqc.com.cn, 访问路径: 首页>>业务在线>> CCC标志申办, 链接: CCC标志申办。

See CQC official website www.cqc.com.cn for details. Access path: Home page>>Online Business>>Apply for CCC Mark, link: Apply for CCC Mark.

[5] 详见CQC官方网站, 访问路径: 首页>>业务在线>>公开文件>>投诉监督, 链接: 投诉监督。

See CQC official website www.cqc.com.cn for details. Access path: Home page>>Online Business>>Files>>Complains and Supervision, link: Complains and Supervision.

[6] 详见CQC官方网站, 访问路径: 首页>>机构动态>>专栏区>>纪检监察, 链接: 纪检监察 See CQC official website www.cqc.com.cn for details. Access path: Home page>>Organization>>Colum>>Discipline Inspection and Supervision.



# 关键零部件/原材料登记表

申请编号: V2022CQC107303-979305

零部件或原材料名称	型号规格	商标	生产单位	CCC 证书号
圆盘	H4G-6905106 SQX3000-6905114	N/A	佛吉亚(无锡)座椅部件有限公司	N/A
气囊	SHT0013662	N/A	安路普(北京)汽车技术有限公司昌平分公司	N/A
阻尼器	SQX3000-6805462	N/A	浙江路得坦摩汽车股份有限公司	N/A
气悬浮	SHT0013655	N/A	安路普(北京)汽车技术有限公司昌平分公司	N/A
滑轨	SHT0000443	N/A	江苏力乐汽车零部件有限公司	N/A
1. 白料 2. 黑料	1. 3600、TPOP93/28 2. 7025	N/A	1. 中国石化集团天津石油化工公司聚醚部(销售商: 天津市远丰化工产品贸易有限公司) 2. 万华化学(烟台)有限公司 靠背/坐垫合棉总成 河北光华荣昌汽车部件有限公司自制	N/A
面料	主料 超纤 2084-880K 辅料 超纤 2084-999 辅料 织物 UM500	N/A	面料: 旷达汽车饰件系统有限公司 天津市鹏升汽车部件有限公司 面套: 河北光华荣昌汽车部件有限公司	N/A
	主料 织物 TR560-3 辅料 织物 03375			
安全带总成	HA301	N/A	浙江松原汽车安全系统有限公司	202097110400310
注塑粒子	PP-TP30	N/A	青岛盛有电子科技有限公司 塑料罩壳 河北光华荣昌汽车部件有限公司自制	N/A
管材	Q235 $\phi$ 25*2.0	N/A	鞍钢股份有限公司 座椅骨架 河北光华荣昌汽车部件有限公司自制	N/A
主驾驶底支架	SHT0014258	N/A	文安县恒德汽车座椅制造有限公司	
板材	SHAP440 2.0	N/A	内蒙古包钢钢联股份有限公司 座椅骨架 河北光华荣昌汽车部件有限公司自制	N/A

## 注意事项:

1. 每个单元(申请号)填写一份关键零部件登记表。
2. 对于表中不适用的项统一填写 N/A。
3. 生产单位项应填写零部件生产单位全称。
4. 关键零部件或原材料的种类见对应的强制性产品认证实施规则的附件 1。
5. CCC 证书号用于已 CCC 认证(含标志认证)的零部件 N/A 原材料。



## 汽车座椅及汽车座椅头枕强制性认证产品描述

申请编号： V2022CQC107303-979305


概述：产品为北奔 H20 车型多功能主座椅总成，其中典型产品为多功能主座椅总成驾驶员座椅及头枕总成 8869100101 此单元包 5179100001、5179100101、5179100201 共计 3 种非典型性产品，具体差异见差异性描述表。

样品照片（正面、侧面、背面照片）




汽车座椅及汽车座椅头枕单元结构、总成示意图：


1、产品名称：多功能主座椅总成 产品型号：8869100101。




2、产品名称：多功能主座椅总成 产品型号：5179100101。在典型产品基础上取消通风及离座报警。



3、产品名称：多功能主座椅总成 产品型号：5179100001。在典型产品基础上取消离座报警。



4、产品名称：多功能主座椅总成 产品型号：5179100201。在典型产品基础上取消通风、加热、离座报警及换挡支架，皮革面料更换为织物面料



- |                  |   |   |
|------------------|---|---|
| 1. 产品商标          | : | 光华荣昌  |
| 2. 产品型号          | : | 8869100101  |
| 3. 结构型式          | : | <input type="checkbox"/> 固定 <input checked="" type="checkbox"/> 可调  |
| 4. 靠背设计角度        | : | 16°   |
| 5. 座椅总成重量 kg     | : | 47.373  |
| 6. 靠背重量 (带头枕) kg | : | 7.8   |
| 7. 座椅总成的功能       | : | <input checked="" type="checkbox"/> 手动座椅 <input type="checkbox"/> 电动座椅 <input type="checkbox"/> 记忆座椅 <input type="checkbox"/> 翻转座椅<br><input type="checkbox"/> 移动座椅 <input type="checkbox"/> 折叠座椅 <input type="checkbox"/> 其它:  |
| 8. 结构特征(允许结构对称)  | : | <input checked="" type="checkbox"/> 前排座椅 <input type="checkbox"/> 后排座椅 <input type="checkbox"/> 中排座椅 <input checked="" type="checkbox"/> 单个座椅<br><input type="checkbox"/> 长条座椅 <input checked="" type="checkbox"/> 整体座椅 <input type="checkbox"/> 分体座椅<br><input type="checkbox"/> 普通座椅 <input type="checkbox"/> 运动座椅 <input type="checkbox"/> 其它: |
| 9. 座垫骨架总成        | : | <input checked="" type="checkbox"/> 纵向位移 <input checked="" type="checkbox"/> 垂直位移 <input type="checkbox"/> 固定装置 <input checked="" type="checkbox"/> 锁止装置<br><input checked="" type="checkbox"/> 加热装置 <input type="checkbox"/> 按摩装置 <input type="checkbox"/> 其它  |





鞍钢股份有限公司  
Angang Steel Company Limited

产品质量证明书  
INSPECTION CERTIFICATE



中国辽宁省鞍山市铁西区鞍钢厂区 邮编 114003  
Ansteel Production Area Tiexi District Anshan City,  
Liaoning Province, China  
Tel 400-688-0898 Fax 0412-6728486

钢厂: 鞍钢股份有限公司冷轧厂  
Gang Steel Plate Mill of Angang

订货单位 Buyer	鞍钢钢材配送(武汉)有限公司	产品名称 Product	冷轧卷板 Cold-rolled steel strip	证明书编号 Certificate No.	E0220040620
收货单位 Consignment	鞍钢钢材配送(武汉)有限公司	交货状态 Delivery Condition	退火平整 退火平整	合同编号 Contract No.	EZ231145006
客户名称 Customer	鞍钢钢材配送(武汉)有限公司	计量方式 Weight Mode	按实重 Actual Weight	规格号 Drawing No.	
标准 Specification	SAPT 11245-2010-Q235-D-FR-PT A-PW-A Q235	交货日期 Date of Delivery	20220304	卷板批次号 SPL-SP-02	
经销商 Distributor		产地 Origin	中国	出口目的地 Export Destination	

序号 No.	规格 Spec	重量 Weight	化学成分 (%) Chemical Composition										拉伸试验 Tension Test			屈服 Yield	抗拉 Tensile	伸长率 Elongation	冲击 Impact	表面 Surface	备注 Remarks
			C	Si	Mn	P	S	As	AP50	AP100	AP150	AP200	屈服 Yield	抗拉 Tensile	伸长率 Elongation						
1	800L122101000 2.0-3.3104	21ED0669 1A222101000 9370 6490	0.14	0.018	0.21	0.003	0.011	0.001					452	510	56.5	OK					

合计 Total: 总重量 Total Weight: 9370 总长度 Total Length: 9460 总件数 Total Pieces: 1

备注 Remarks: 上述元素仅列出参与复合公式的有效添加元素, 但复合元素结果用标准公式计算得出。  
We hereby certify that material described herein has been manufactured and tested with accordance to results in accordance with requirements of the above major specifications. If you have any questions, please contact our company.

质检员: 张炎柱  
质检日期: 20220304

(2) 牌号: SAPH440 供应商: 内蒙古包钢钢联股份有限公司



内蒙古包钢钢联股份有限公司  
Inner Mongolia Baotou Steel Union  
Co., Ltd.

产品质量证明书  
CERTIFICATE OF INSPECTION



地址: 中国内蒙古包头昆都仑区河西区  
ADDRESS: HEXI INDUSTRIAL AREA, KUNDULUN DISTRICT,  
BAOTOU CITY, INNER MONGOLIA, CHINA  
邮编: 014010  
记录编号 RECORD No.: JL/0407 G-12 002 02  
电话: 0472-2889000 0472-2889002 0472-2889003

客户名称 CUSTOMER	天津包钢华北钢铁销售有限公司	产品名称 PRODUCT	酸洗卷	订单编号 ORDER No.	0A822010192
收货单位 PURCHASER	天津兵工物资有限公司	证明书编号 CERTIFICATE No.	2303030014	客户订购型号 CUSTOMER No.	
产品标准及牌号 SPEC AND GRADE	BGZJ 565-2015 : SAPH440	发货日期 DELIVERY DATE	20220304	客户编号 CUSTOMER No.	00012606
生产许可证 PRODUCTION No.		交货日期 DELIVERY DATE	20220303	车号 CAR No.	168959
		其他作业单号 OTHER No.	LR22030210	网站 WEB SITE	张炎柱

项次 ITEM No.	产品序号 ITEM No.	规格号 SPEC No.	钢卷编号 COIL No.	规格 DIMENSION		重量 WEIGHT	L/P	化学成分 CHEMICAL ANALYSIS %						拉伸试验 T.T. %		备注 REMARKS	
				厚度 THICKNESS	宽度 WIDTH			C	Si	Mn	P	S	Al	屈服 Yield	伸长率 Elongation		
025	2221092802	2221092802	2221092802	2.000	1.250	10.180	1	0.14	0.018	0.21	0.003	0.011	0.001	452	510	56.5	OK
026	2221094111	2221094111	2221094111	2.000	1.250	10.180	1	0.14	0.018	0.21	0.003	0.011	0.001	452	510	56.5	OK
027	2221094112	2221094112	2221094112	2.000	1.250	10.000	1	0.14	0.018	0.21	0.003	0.011	0.001	452	510	56.5	OK

合计 (TOTAL) 重量 (NET WEIGHT): 30.380 吨 (Tons) 数量 (QUANTITY): 3 件 (Pcs)

注: 屈服强度=屈服强度  
抗拉强度=抗拉强度  
伸长率=伸长率  
A2= A2=5.0mm  
冲击=冲击  
表面质量等级 Surface quality grade: PB  
涂油方式: MO-中涂油  
数量: 0-1

备注: 请说明本产品按照材料标准/协议制造或试验, 如有异议请在自发货之日起6个月内提供质量证明书编号、订单号、牌号、异议内容等信息。质量投诉电话: 0472-2889000, 0472-2889008.  
Please state clearly that all the market is made and test in accordance with the date of shipment within 6 months. Quality Complaints Telephone Number: 0472-2889000, 0472-2889008.

制表人: 刘立立  
20220310-181802


# 《汽车座椅及汽车座椅头枕产品》申报 CQC 认证图样要求

## 一 图样格式

- 1 图纸幅面：A4 或叠成 A4（最大不超过 A3）
- 2 图框规格：按有关制图国家标准的规定，留装订边。

### 3 标题栏的位置

3.1 标题栏位于图样的右下角，如下图所示：



3.2 标题栏的内容应包括零件号、零件名称、材料、材料规格及技术要求等 product 特征描述。



## 单元内产品差异描述表

申请编号: V2022CQC107303-979305

基本型号号: 8869100101

序号	型号	差异描述	备注
1	5179100001	在基础型号上取消离座报警	主料 超纤 2084-880K 辅料 超纤 2084-999 辅料 织物 UM500
2	5179100101	在基础型号上取消通风及离座报警	主料 超纤 2084-880K 辅料 超纤 2084-999 辅料 织物 UM500
3	5179100201	在基础型号上取消通风、加热、离座报警及换挡支架, 皮革面料更换为织物面料	主料 织物 TR560-3 辅料 织物 03375

