

森德奥-吉利G3项目-模具报价信息表 2023.03.03

序号	产品图片	产品名称	产品编号	产品尺寸	下料尺寸	产品料厚 (t)	产品材质	工件	工序名称	模具数量 (套)	冲床吨位 (T)	模具尺寸		模具系数	模具重量	单价 (万元)	模具价格 (万元)	T/D处理费	未税价格合 计万元	含税合计金 额万元
												长	高							
1		副驾安全带高 锁机固定板 1	SHT0015275	324X174X54	420*260	1.6	SPH590	SPH590	修边冲孔	1	250T	900	650	0.65	1.34	3.8	4.44	0.77	5.21	26.05
												900	620	0.65	1.20	3.8	3.95	0.52	3.54	
												850	500	0.65	0.91	3.8	3.01			
												850	500	0.65	0.91	3.8	3.01			
												800	500	0.65	0.86	3.8	2.83			
												800	500	0.65	1.11	3.8	3.68			
												800	500	0.65	1.11	3.8	3.68			
2		副驾安全带高 锁机固定板 2	SHT0015272	334X172X54	420*260	1.6	SPH590	SPH590	修边冲孔	1	250T	900	650	0.65	1.34	3.8	4.44	0.49	3.33	25.02
												900	620	0.65	1.20	3.8	3.95	0.69	4.64	
												850	500	0.65	0.91	3.8	3.01			
												850	500	0.65	0.91	3.8	3.01			
												800	500	0.65	0.86	3.8	2.83			
												800	500	0.65	1.11	3.8	3.68			
												800	500	0.65	1.11	3.8	3.68			
3		后罩壳固定板 全	SHT0015265	116X151X19	170*150	1.5	SMH440	SMH440	修边冲孔	1	200T	600	450	0.55	0.52	3.8	1.73	0.25	1.41	9.65
												600	450	0.55	0.52	3.8	1.73	0.19	1.66	
												550	400	0.55	0.43	3.8	1.41			
												550	400	0.55	0.43	3.8	1.41			
												500	400	0.55	0.33	3.8	1.08			
												500	400	0.55	0.33	3.8	1.08			
												500	400	0.55	0.33	3.8	1.08			
4		安全带固定板 固定板全	SHT0015266	99X10X11	145*50	3.0	SPH590	SPH590	冲孔、压凸台	1	190T	500	400	0.55	0.33	3.8	1.08	0.19	1.27	4.40
												500	400	0.55	0.33	3.8	1.08	1.08	1.08	
												500	400	0.55	0.33	3.8	1.08			
												500	400	0.55	0.33	3.8	1.08			
												500	400	0.55	0.33	3.8	1.08			
												500	400	0.55	0.33	3.8	1.08			
												500	400	0.55	0.33	3.8	1.08			
5		副司机安全带 卷收器固定板 全	SHT0015269	99X10X11	145*50	3.0	SPH590	SPH590	左右共用 左右共用	0	0	800	400	0.55	0.52	3.8	2.05	0.36	2.41	8.83
												800	400	0.55	0.52	3.8	2.05	0.65	4.37	
												700	750	0.55	1.13	3.8	3.72			
												700	750	0.55	1.13	3.8	3.72			
												700	750	0.55	1.13	3.8	3.72			
												700	750	0.55	1.13	3.8	3.72			
												700	750	0.55	1.13	3.8	3.72			
6		左座连接板	SHT0015272	451.500X28. 700X35.000	460*105	2.0	QS-E420T	QS-E420T	落料冲孔	1	200T	800	400	0.55	0.52	3.8	2.05	0.36	2.41	10.88
												800	400	0.55	0.52	3.8	2.05	0.36	2.41	
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
7		右座连接板	SHT0015274	457X25X26	460*105	2.0	QS-E420T	QS-E420T	落料冲孔	1	200T	800	400	0.55	0.52	3.8	2.05	0.36	2.41	11.55
												800	400	0.55	0.52	3.8	2.05	0.35	2.33	
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
												800	400	0.55	0.52	3.8	2.05			
8		前连接板	SHT0015275	259X24X29	295*460	2.0	QS-E420T	QS-E420T	落料	1	160T	650	350	0.55	0.39	3.8	1.50	0.25	1.71	6.22
												650	350	0.55	0.39	3.8	1.50	0.47	3.20	
												650	350	0.55	0.39	3.8	1.50			
												650	350	0.55	0.39	3.8	1.50			
												650	350	0.55	0.39	3.8	1.50			
												650	350	0.55	0.39	3.8	1.50			
												650	350	0.55	0.39	3.8	1.50			
9		副驾安全架左 边板	SHT0015278	440X55X60	465*165	2.0	QS-E420T	QS-E420T	落料冲孔	1	200T	800	350	0.55	0.54	3.8	1.79	0.35	2.13	11.55
												800	350	0.55	0.54	3.8	1.79	0.35	2.13	
												800	350	0.55	0.54	3.8	1.79			
												800	350	0.55	0.54	3.8	1.79			
												800	350	0.55	0.54	3.8	1.79			
												800	350	0.55	0.54	3.8	1.79			
												800	350	0.55	0.54	3.8	1.79			
10		转配底支架左 边板	SHT0015279	440X120X59	485*235	2.0	QS-E420T	QS-E420T	折小穿 翻边	1	200T	800	350	0.55	0.60	3.8	1.96	0.35	2.33	18.53
												800	350	0.55	0.60	3.8	1.96	0.35	2.33	
												800	350	0.55	0.60	3.8	1.96			
												800	350	0.55	0.60	3.8	1.96			
												800	350	0.55	0.60	3.8	1.96			
												800	350	0.55	0.60	3.8	1.96			
												800	350	0.55	0.60	3.8	1.96			
11		后安装支架	SHT0015280	315X57X54	360*100	2.0	QS-E420T	QS-E420T	落料冲孔	1	200T	750	400	0.55	0.58	3.8	1.92	0.33	2.25	9.80
												750	400	0.55	0.58	3.8	1.92	0.33	2.25	
												750	400	0.55	0.58	3.8	1.92			
												750	400	0.55	0.58	3.8	1.92			
												750	400	0.55	0.58	3.8	1.92			
												750	400	0.55	0.58	3.8	1.92			
												750	400	0.55	0.58	3.8	1.92			



12		左前脚架	SHT0015281	566X182	105*110	3.0	QS-E420T M	0P10	落料冲孔	1	100T	480	380	340	0.65	0.32	3.8	1.05	1.05	4.12
								0P20	折弯1	1	160T	600	380	340	0.65	0.40	3.8	1.31	1.54	
13		右前脚架	SHT0015282	308X109X61	320*210	1.5	QS-E420T M	0P10	落料冲孔	1	200T	700	500	400	0.65	0.71	3.8	2.36	2.36	16.15
								0P20	折弯2	1	160T	600	380	340	0.65	0.40	3.8	1.31	1.54	
14		桥配前支撑板 全	SHT0015284	308X109X61	320*210	1.5	QS-E420T M	0P10	落料冲孔	1	200T	700	500	400	0.65	0.71	3.8	2.36	2.36	16.15
								0P20	折弯1 (铁板)	1	160T	600	380	340	0.65	0.40	3.8	1.31	1.54	
15		桥配后支撑板 全	SHT0015286	308X109X61	320*210	1.5	QS-E420T M	0P10	落料冲孔	1	200T	700	500	400	0.65	0.71	3.8	2.36	2.36	2.98
								0P20	折弯2	1	160T	600	380	340	0.65	0.40	3.8	1.31	1.54	
16		高配前支撑板 全	SHT0015288	308X109X61	320*155	1.5	QS-E420T M	0P10	落料冲孔	1	160T	700	450	360	0.65	0.58	3.8	1.91	1.91	10.78
								0P20	折弯1	1	200T	700	450	400	0.65	0.64	3.8	2.13	2.50	
17		高配后支撑板 全	SHT0015290	308X109X61	320*160	1.5	QS-E420T M	0P10	落料冲孔	1	160T	700	450	360	0.65	0.58	3.8	1.91	1.91	6.53
								0P20	折弯2	1	200T	700	450	400	0.65	0.64	3.8	2.13	2.50	
18		副司机座椅 底座架左下板	SHT0015320	572X230X134	610*380	2.5	SPRHS90	0P10	落料	1	200T	1000	650	400	0.65	1.33	3.8	4.39	4.39	23.31
								0P20	折弯压包	1	250T	1000	650	400	0.65	1.33	3.8	4.39	5.15	
19		副司机座椅 底座架左下板	SHT0015321	519X55X28	550*100	2.5	SPRHS90	0P10	落料共组	1	200T	950	400	400	0.65	0.78	3.8	2.56	2.56	19.89
								0P20	成型双工位	1	250T	950	550	400	0.65	1.07	3.8	3.53	4.14	
20		副司机座椅 底座架右下板	SHT0015322	519X55X28	550*100	2.5	SPRHS90	0P10	落料共组	1	200T	950	400	400	0.65	0.78	3.8	2.56	2.56	19.89
								0P20	成型双工位	1	250T	950	550	400	0.65	1.07	3.8	3.53	4.14	
21		副司机座椅 底座架中间连 接板	SHT0015323	206X112X1	215*100	2.0	QS-TE420T M	0P10	落料冲孔	1	160T	620	380	340	0.65	0.41	3.8	1.35	1.35	2.94
								0P20	折弯	1	160T	620	380	340	0.65	0.41	3.8	1.35	1.59	
22		副司机座椅 底座架后连接 板全	SHT0015324	170X64X28	200*110	2.5	QS-TE420T M	0P10	压包	1	160T	600	400	340	0.65	0.42	3.8	1.38	1.62	4.81
								0P20	修边冲孔	1	160T	600	400	340	0.65	0.42	3.8	1.38	1.62	
24		点焊螺母螺 丝片	SHT0015438	31X25X2	31X25X2	2.0	QS-TE420T M	0P10	落料冲孔	1	160T	450	350	360	0.65	0.29	3.8	0.96	0.96	2.94
								0P20	修边	1	160T	450	350	360	0.65	0.29	3.8	0.96	1.38	
25		高配底座架补 强板	SHT0015437	241X30X2	241X30X2	2.0	QS-TE420T M	0P10	落料冲孔	1	160T	650	350	360	0.65	0.42	3.8	1.38	1.38	2.94
								0P20	修边	1	160T	650	350	360	0.65	0.42	3.8	1.38	1.62	



森德奥-吉利G3项目-模具报价信息表 2023.03.09

序号	产品图片	产品名称	产品编号	产品尺寸	下料尺寸	产品厚度 (mm)	产品材质	工序	工序名称	模具数量 (套)	冲床吨位 (T)	模具尺寸			模具系数	模具重量 (kg)	单价 (元)	模具价格 (元)	加工费	未税价格合 计万元	未税合计金 额万元
												长	宽	高							
1		副驾安全带高 调机构固定板 1	SHT0015256	324X174X59	420*260	1.6	SPFH590	OP10	成型	1	250T	900	650	450	0.55	1.34	3.8	4.22	0.70	4.92	24.64
								OP20	修边冲孔	1	250T	900	620	420	0.55	1.20	3.8	3.76	3.76		
								OP30	翻边	1	250T	850	500	420	0.55	0.91	3.8	2.86	0.47	3.33	
								OP40	修边冲孔	1	250T	850	500	420	0.55	0.91	3.8	2.86	2.86		
								OP50	翻边	1	250T	800	500	420	0.55	0.86	3.8	2.69	0.45	3.14	
								OP60	冲孔翻边	1	250T	800	650	420	0.55	1.11	3.8	3.50	3.50		
2		副驾安全带高 调机构固定板 2	SHT0015257	334X172X54	420*260	1.6	SPFH590	OP10	成型	1	250T	900	650	450	0.55	1.34	3.8	4.22	0.45	4.67	24.25
								OP20	修边冲孔	1	250T	900	620	420	0.55	1.20	3.8	3.76	0.62	4.38	
								OP30	翻边	1	250T	850	500	420	0.55	0.91	3.8	2.86	2.86		
								OP40	修边冲孔	1	250T	850	500	420	0.55	0.91	3.8	2.86	0.47	3.33	
								OP50	翻边	1	250T	800	500	420	0.55	0.86	3.8	2.69	2.69		
								OP60	冲孔翻边	1	250T	800	650	420	0.55	1.11	3.8	3.50	3.50		
3		后罩壳固定板 全	SHT0015265	116X151X19	170*150	1.5	SAPH440	OP10	成型	1	200T	600	450	380	0.55	0.86	3.8	2.69	0.58	3.27	9.14
								OP20	修边冲孔	1	200T	600	450	380	0.55	0.82	3.8	2.64	0.27	2.91	
								OP30	翻边整形	1	200T	600	400	380	0.55	0.52	3.8	1.64	1.64		
								OP40	冲孔	1	200T	550	400	380	0.55	0.43	3.8	1.34	0.22	1.56	
								OP50	冲孔	1	200T	550	400	380	0.55	0.43	3.8	1.34	1.34		
								OP60	冲孔	1	200T	550	400	380	0.55	0.43	3.8	1.34	1.34		
4		安全带收卷器 固定板全	SHT0015268	99X40X41	145*60	3.0	SPFH590	OP10	左右共用	0										4.22	
								OP20	左右共用	0											
								OP30	左右共用	0											
								OP40	左右共用	0											
								OP50	左右共用	0											
								OP60	左右共用	0											
5		副驾机安全带 收卷器固定板 全	SHT0015269	99X40X41	145*60	3.0	SPFH590	OP10	左右共用	0										0.00	
								OP20	左右共用	0											
								OP30	左右共用	0											
								OP40	左右共用	0											
								OP50	左右共用	0											
								OP60	左右共用	0											
6		左框连接板	SHT0015272	451.50X128.70X0.55	460*105	2.0	Q31E420T	OP10	密料冲孔	1	200T	800	400	380	0.55	0.62	3.8	1.95	1.95	8.34	
								OP20	冲孔	1	200T	800	400	380	0.55	0.62	3.8	1.95	2.27		
								OP30	折穿	1	200T	800	400	380	0.55	0.62	3.8	1.95	4.12		
								OP40	折穿	1	200T	700	750	420	0.55	1.13	3.8	3.53	0.58		4.12
								OP50	折穿	1	200T	800	400	380	0.55	0.62	3.8	1.95	1.95		
								OP60	折穿	1	200T	800	400	380	0.55	0.62	3.8	1.95	2.27		
7		右框连接板	SHT0015274	457X232X26	460*105	2.0	Q31E420T	OP10	密料冲孔	1	200T	800	400	380	0.55	0.62	3.8	1.95	1.95	10.29	
								OP20	冲孔	1	200T	800	400	380	0.55	0.62	3.8	1.95	2.27		
								OP30	折穿	1	200T	800	400	380	0.55	0.62	3.8	1.95	4.12		
								OP40	折穿	1	200T	700	750	420	0.55	1.13	3.8	3.53	0.58		4.12
								OP50	折穿	1	200T	800	400	380	0.55	0.62	3.8	1.95	1.95		
								OP60	折穿	1	200T	800	400	380	0.55	0.62	3.8	1.95	2.27		
8		前连接板	SHT0015275	259X24X29	295*80	2.0	Q31E420T	OP10	密料	1	160T	650	350	340	0.55	0.39	3.8	1.24	1.24	5.87	
								OP20	翻边	1	200T	650	350	380	0.55	0.44	3.8	1.39	0.23		1.61
								OP30	翻边	1	200T	700	550	420	0.55	0.83	3.8	2.59	0.43		3.02
								OP40	翻边	1	200T	800	350	350	0.55	0.54	3.8	1.71	0.31		2.02
								OP50	翻边	1	200T	800	350	350	0.55	0.54	3.8	1.71	0.31		2.02
								OP60	翻边	1	200T	800	350	350	0.55	0.54	3.8	1.71	0.31		2.02
9		高配底座左 边板	SHT0015278	440X55X60	465*165	2.0	Q31E420T	OP10	密料冲孔	1	200T	800	350	380	0.55	0.54	3.8	1.71	0.31	2.02	10.94
								OP20	折入穿	1	200T	800	350	420	0.55	0.60	3.8	1.88	0.31	2.20	
								OP30	翻边	1	200T	800	350	420	0.55	0.60	3.8	1.88	0.31	2.20	
								OP40	翻边	1	250T	900	800	420	0.55	1.54	3.8	4.85	4.85		
								OP50	翻边	1	200T	800	350	380	0.55	0.54	3.8	1.71	0.31	2.02	
								OP60	翻边	1	200T	800	350	380	0.55	0.54	3.8	1.71	0.31	2.02	
10		标配底座左 边板	SHT0015279	440X120X59	485*235	2.0	Q31E420T	OP10	密料	1	200T	880	530	400	0.65	0.95	3.8	2.99	0.49	3.48	17.52
								OP20	翻边	1	200T	880	530	400	0.65	0.95	3.8	2.99	0.49	3.48	
								OP30	冲孔	1	200T	880	530	400	0.65	0.95	3.8	2.99	0.49	3.48	
								OP40	翻边	1	200T	880	420	400	0.65	0.75	3.8	2.37	0.39	2.76	
								OP50	翻边	1	200T	900	750	420	0.65	1.45	3.8	4.54	0.75	5.29	
								OP60	翻边	1	200T	880	530	400	0.65	0.95	3.8	2.99	0.49	3.48	
11		后安装支架	SHT0015280	315X57X54	360*100	2.0	Q31E420T	OP10	密料冲孔	1	200T	750	400	380	0.65	0.58	3.8	1.83	0.30	2.13	9.28
								OP20	成型	1	200T	750	400	380	0.65	0.58	3.8	1.83	1.83		
								OP30	翻边整形	1	200T	750	400	380	0.65	0.58	3.8	1.83	0.30	2.13	
								OP40	冲孔	1	200T	750	350	380	0.65	0.51	3.8	1.60	1.60		
								OP50	冲孔	1	200T	750	350	380	0.65	0.51	3.8	1.60	1.60		
								OP60	冲孔	1	200T	750	350	380	0.65	0.51	3.8	1.60	1.60		



12		左前脚架	SMT0015281	5661X82	105*110	3.0	QS-E20T M	0P10	原料冲孔	1	100T	480	380	340	0.55	0.32	3.8	0.99	0.99	3.89
								0P20	折弯1	1	160T	600	380	340	0.55	0.40	3.8	1.24	0.21	
								0P30	折弯2 (铁模)	1	160T	600	380	340	0.55	0.40	3.8	1.24	0.21	1.45
									折弯2 (铁模)	1										
13		右前脚架	SMT0015282			3.0	QS-E20T M	0P10	左右共用	0										
								0P20	左右共用	0										
								0P30	左右共用	0										
14		标配前支撑板 全	SMT0015284	308X103X61	320*210	1.5	QS-E20T M	0P10	原料冲孔	1	200T	700	500	400	0.55	0.71	3.8	2.24	2.24	14.32
								0P20	皮型	1	200T	900	650	450	0.55	1.34	3.8	4.22	0.70	
								0P30	翻边	1	200T	900	650	450	0.55	1.34	3.8	4.22	0.70	4.92
								0P40	冲孔翻边	1	200T	700	500	400	0.55	0.71	3.8	2.24	2.24	
15		标配后支撑板 全	SMT0015286	308X103X61	320*210	1.5	QS-E20T M	0P10	原料冲孔 (左右共用)	0										2.24
								0P20	翻边成型 (左右共用)	0										
								0P30	翻边	0										
								0P40	冲孔翻边	1	200T	700	500	400	0.55	0.71	3.8	2.24	2.24	
16		标配前支撑板 全	SMT0015288	308X103X61	320*155	1.5	QS-E20T M	0P10	原料冲孔	1	160T	700	450	360	0.55	0.58	3.8	1.82	1.82	10.19
								0P20	皮型	1	200T	700	450	400	0.55	0.64	3.8	2.02	0.33	
								0P30	冲孔	1	200T	700	450	400	0.55	0.64	3.8	2.02	0.33	2.35
								0P40	翻边	1	200T	650	600	420	0.55	1.09	3.8	3.43	0.57	4.00
17		标配后支撑板 全	SMT0015290	308X103X61	320*160	1.5	QS-E20T M	0P10	原料冲孔	1	160T	700	450	360	0.55	0.58	3.8	1.82	1.82	6.19
								0P20	皮型	1	200T	700	450	400	0.55	0.64	3.8	2.02	0.33	
								0P30	冲孔	1	200T	700	450	400	0.55	0.64	3.8	2.02	0.33	2.35
18		C3型司机座椅 底座左下板	SMT0015320	572X320X34	610*380	2.5	SPFHS90	0P10	原料	1	290T	1000	650	400	0.55	1.33	3.8	4.17	4.17	22.04
								0P20	折弯压包	1	290T	1000	650	400	0.55	1.33	3.8	4.17	0.69	
								0P30	翻边	1	290T	1000	650	400	0.55	1.33	3.8	4.17	0.69	4.86
								0P40	翻边	1	290T	900	600	400	0.55	1.20	3.8	3.77	0.62	4.39
19		C3型司机座椅 底座左下板	SMT0015321	519X35X28	550*100	2.5	SPFHS90	0P10	原料共用	1	290T	950	400	400	0.55	0.78	3.8	2.44	2.44	18.79
								0P20	皮型双工位	1	290T	950	550	400	0.55	1.07	3.8	3.35	0.55	
								0P30	冲孔双工位	1	290T	900	500	400	0.55	0.92	3.8	2.88	2.88	
								0P50	翻边	1	290T	850	650	420	0.55	1.55	3.8	4.86	0.80	5.67
20		C3型司机座椅 底座左下板	SMT0015322	519X35X28	550*100	2.5	SPFHS90	左右共用												
								0P10	原料冲孔	1	160T	620	380	340	0.65	0.41	3.8	1.28	1.28	1.28
								0P20	折弯	1	160T	620	380	340	0.65	0.41	3.8	1.28	0.21	1.50
21		C3型司机座椅 底座中间连 接板	SMT0015323	206X112X1	215*100	2.0	QS-T220T M	0P10	压包	1	180T	600	400	340	0.55	0.42	3.8	1.31	0.22	1.52
								0P20	修边冲孔	1	160T	600	400	340	0.55	0.42	3.8	1.31	0.22	1.31
								0P30	翻边	1	180T	600	400	340	0.55	0.42	3.8	1.31	0.22	1.31
22		C3型司机座椅 底座左下板	SMT0015324	170X61X28	200*110	2.5	QS-T220T M	0P10	原料冲孔	1	160T	450	350	360	0.55	0.29	3.8	0.91	0.91	2.78
								0P20	翻边	1	160T	450	350	360	0.55	0.29	3.8	0.91	0.91	
23		C3型司机座椅 底座左下板	SMT0015324	170X61X28	200*110	2.5	QS-T220T M	0P10	原料冲孔	1	160T	450	350	360	0.55	0.29	3.8	0.91	0.91	2.78
								0P20	翻边	1	160T	450	350	360	0.55	0.29	3.8	0.91	0.91	
24		点焊螺母连接 片	SMT0015438	31X25X2	31X25X2	2.0	QS-T220T M	0P10	原料冲孔	1	160T	450	350	360	0.55	0.29	3.8	0.91	0.91	2.78
								0P20	翻边	1	160T	450	350	360	0.55	0.29	3.8	0.91	0.91	
25		高配底座补 强板	SMT0015437	241X30X2	241X30X2	2.0	QS-T220T M	0P10	原料冲孔	1	160T	650	350	360	0.55	0.42	3.8	1.31	1.31	1.31
								0P20	翻边	1	160T	650	350	360	0.55	0.42	3.8	1.31	1.31	

